

**All India Institute of Medical Sciences**  
**Rishikesh-249203**

**Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS Rishikesh**

|                                    |          |                               |
|------------------------------------|----------|-------------------------------|
| <b>Ref. No.</b>                    | <b>:</b> | <b>02/EE/Civil/2026-27</b>    |
| <b>Publishing Date</b>             | <b>:</b> | <b>20-04-2026 on 06:00 PM</b> |
| <b>Bid Submission Start Date</b>   | <b>:</b> | <b>20-04-2026 on 06:00 PM</b> |
| <b>Pre Bid Meeting Date</b>        | <b>:</b> | <b>28-04-2026 on 03:00 PM</b> |
| <b>Last Date of Bid Submission</b> | <b>:</b> | <b>12-05-2026 on 03:00 PM</b> |
| <b>Bid Opening</b>                 | <b>:</b> | <b>13-05-2026 on 03:00 PM</b> |

## INDEX

Name of Work: **Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS Rishikesh**

| Serial No. | Contents   | Page No. | Remarks |
|------------|--|----------|---------|
| 1.         | Cover Page   | 1        |         |
| 2.         | Index  | 2        |         |
|            | <b><u>PART - A</u></b>                                     |          |         |
| 3.         | Notice inviting tender                                     | 3        |         |
| 4.         | Information and instructions for Contractors               | 4 to 6   |         |
| 5.         | Notice inviting tender<br>(CPWD - 6)                       | 7 to 9   |         |
| 6.         | Pre Contract Integrity Pact                                | 10 to 14 |         |
| 7.         | Tender and contract (Civil)                                | 15 to 16 |         |
| 8.         | Schedule "A" to "F" (Civil)                                | 17 to 23 |         |
|            | <b><u>PART - B</u></b>                                     |          |         |
| 9.         | Particular specification and<br>Special conditions (Civil) | 24 to 36 |         |
| 10.        | Annexure II  | 37       |         |
| 11.        | Annexure III   | 38       |         |
| 12.        | Annexure-IV  | 39       |         |
| 13.        | Form – X   | 40       |         |
| 14.        | Form – Y   | 41       |         |
| 15.        | Form – Z   | 42       |         |
| 16.        | List of approved make                                      | 43 to 46 |         |
| 17.        | Schedule of Quantities                                     | 47 to 61 |         |

-----  
Certified that this bid document contains pages 1 to 61 (One to Sixty-One page).

Executive Engineer  
AIIMS, Rishikesh

**Tender document may be downloaded from CPPP site <https://eprocure.gov.in>  
NIT may be downloaded from institute's website [www.aiimsrishikesh.edu.in](http://www.aiimsrishikesh.edu.in)**

## AIIMS, Rishikesh

### NOTICE INVITING TENDER

The Executive Engineer, AIIMS Rishikesh on behalf of the Executive Director, AIIMS Rishikesh invites Percentage rate e-tenders from enlisted contractor in the appropriate classes and category in CPWD, MES, Railway and state government of Uttarakhand (PWD, IRRIGATION Department only), Registration in category of Bhawan is mandatory only for the following work: -

NIT No. : **02/EE/Civil/2026-27**

Name of Work: **Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS Rishikesh**

Estimated Cost: **Rs. 64,44,378.86** Earnest money: **Rs. 3,22,219.00**

Period of completion: **120 Days**

**Pre Bid Meeting Date : 28-03-2026 on 03:00 PM**

**Last date & time of submission of bids: 12-05-2026 on 03:00 PM**

The tender forms and other details can be seen and downloaded from the website [www.aiimsrishikesh.edu.in](http://www.aiimsrishikesh.edu.in) or CPPP site <http://eprocure.gov.in>

**INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING**  
**FORMING PART OF NIT AND TO BE POSTED ON WEBSITE**

The Executive Engineer, AIIMS Rishikesh on behalf of the Executive Director, AIIMS Rishikesh invites Percentage rate e-tenders from enlisted contractor in the appropriate classes and category in CPWD, MES, Railway and state government of Uttarakhand (PWD, IRRIGATION Department only), Registration in category of Bhawan is mandatory only for the following work:

| Name of work & Location   | Estimated cost put to bid         | Earnest Money                    | Period of Completion | Last date & time of submission of bid             | Time & date of opening of bid                     | Date and time of submission of EMD in hard form to Executive Engineer office  |
|---|-----------------------------------|----------------------------------|----------------------|---|---|---|
| <b>Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS Rishikesh</b> | <b>Rs.</b><br><b>64,44,378.86</b> | <b>Rs.</b><br><b>3,22,219.00</b> | <b>120 Days</b>      | <b>12-05-2026</b><br><b>on 03:00</b><br><b>PM</b> | <b>13-05-2026</b><br><b>on 03:00</b><br><b>PM</b> | Agency can submit EMD in hard copy/Online receipt in a sealed envelope with clearly mentioning the Tender Id No. on or before last date and time of submission of bid. Delay is the post or courier may be treated as disqualified. |

1. The intending bidder must read the terms and conditions of CPWD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
2. Information and Instructions for bidders posted on website shall form part of bid document.
3. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website [www.aiimsrishikesh.edu.in](http://www.aiimsrishikesh.edu.in) or <https://eprocure.gov.in>
4. Those contractors not registered on the website mentioned above, are requested to get registered beforehand.
5. The intending bidder must have valid class-III digital signature to submit the bid.
6. On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
7. Contractor can upload documents in the form of PDF format only.
8. The contractor should quote the rate of item including GST as per statutory rules.
9. The successful bidders have to execute a contract on Indian non judicial stamp paper of Rs.100/- (Rupees one hundred only) within Ten (10) days from the date of award of this tender in his favour and also required to furnish the **7.5%** against performance guarantee of contract value in the form of FD from any Nationalized/ Schedule bank duly pledged in favour of AIIMS, Rishikesh & payable at Rishikesh only. If the successful bidder fails to furnish the full Performance guarantee within 10 (Ten) days after the issue of Letter of Acceptance of Work, then action will be taken as per tender documents, CPWD works manual-2022,CPWD General Condition of Contract-2023, or full amount of EMD shall be forfeited of the contractor unless time extension has been granted by AIIMS, Rishikesh.

10. The bid shall be valid and open for acceptance by the competent authority of AIIMS Rishikesh for a period of 90 (ninety) days from the date of opening of the Financial bid and no request for any variation in quoted rates and / withdrawal of tender on any ground by bidders shall be entertained. If any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, Further the bidders shall not be allowed to participate in the re-bidding process of the work & action will be taken as per tender documents, CPWD works manual-2022, CPWD General Condition of Contract-2023, or full amount of EMD shall be forfeited of the contractor.
11. Contractor shall deposit earnest money in receipt treasury challan/deposit at call receipt of a schedule bank/fixed deposit receipt of schedule bank/demand draft of schedule bank/bank guarantee issued by a schedule bank is scanned and uploaded and submit in original on or before last date and time of submission of bid or contractor can submit EMD directly in bank account of AIIMS Rishikesh. Detail is mentioned below-

Account Number: -6189000100021125

Bank name: - Punjab National Bank

Branch name: - PNB Pashulok

IFSC code: - PUNB0618900

12. List of Self attested Documents to be scanned and uploaded in CPP portal at AIIMS Rishikesh within the period of bid submission, failing which the bid of the tenderer shall be rejected:
- I. Self-certified copy of work completion certificate for similar works as per eligibility criteria
  - II. Copy of registration certificate with CPWD, State (PWD and Irrigation) Department only, MES, and railway as mentioned in NIT.(Registration in category of Bhawan is mandatory only)
  - III. Contractor shall submit the Notarized undertaking on non-judicial stamp of Rs.100 as mentioned in annexure-II, annexure-III and annexure-IV of this NIT.
  - IV. Contractor shall submit Pre Contract Integrity Pact of this NIT.
  - V. Turnover certificate of last three years having UDIN number issued by the CA.
  - VI. The valid solvency certificate of minimum 40% of the tendered amount issued by any Nationalized bank under the governed by RBI not later than six months or net worth certificate of minimum 40% of the tendered amount duly issued by CA with UDIN number not later than six months.
  - VII. GST,
  - VIII. PAN,
  - IX. ESI,
  - X. EPF
  - XI. Notarized copy of the registered partnership deed.
  - XII. Valid Registration certificate of contractor in the appropriate category.
  - XIII. The contractor have electrical licensed or engage a contractor with electrical licensed with similar work experience for the electrical portion of the work.
  - XIV. Original consent letter of associated agencies in FORM-X and FORM-Z shall also be enclosed in the prescribed format. MOU shall be signed with the associated agency as per FORM-Y in shape of affidavit on non-Judicial stamp paper of minimum Rs. 100/- duly attested by notary in original within 7 (Seven) Days) and shall be submitted after award of work.

**13. Due to Scarcity of funds payments may get delayed. No interest shall be paid to contractor due to delay in payment.**

14. Contract/Bidder have to submit EMD in hard copy in a sealed envelope with clearly mentioning the Tender Id No. on or before the last date and time of submission of bid. Delay in the post or courier may be treated as disqualified.

15. Additional Performance Security may be applicable in case of bidder quoted the abnormal below rate which is decided by the competent authority. The abnormal below rate may also be decided by the competent authority and their decision may be final. Bidder/Contractor has also to submit the market rate analysis to carry out the work. Non-submission of the Additional performance guarantee in a stipulated time shall be treated as disqualified from the contract and bidder/contractor may also be debarred for the three years in further participation in any bid of any department AIIMS.

**Govt. of India**  
**AIIMS, Rishikesh**  
**Notice Inviting e-Tender**

The Executive Engineer, AIIMS Rishikesh on behalf of the Executive Director, AIIMS Rishikesh invites Percentage rate e-tenders from enlisted contractor in the appropriate classes and category in CPWD, MES, Railway and state government of Uttarakhand (PWD, IRRIGATION Department only), Registration in category of Bhawan is mandatory only for the work **“Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS Rishikesh”**

- 1.1 The work is estimated to Cost **Rs. 64,44,378.86** this estimate, however, is given merely as a rough guide.
- 1.2 Intending tenderer is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below: -

**Criteria of eligibility for submission of bid documents**

**1.2.1 Criteria of eligibility for the Experience**

Experience of having successfully completed similar works during the last seven years ending last day of month previous to the one in which tenders are invited.

- (a) Three similar completed works each costing not less than 40% of the estimated cost put to tender,  
or
- (b) Two similar completed works each costing not less than 60% of the estimated cost put to tender,  
or
- (c) One similar completed work costing not less than 80% of the estimated cost put to tender.

**Similar works means** “Experience of Building Construction work/ Renovation work/ Civil Maintenance in government department. It is to be noted that since this work includes civil, electrical, and air-conditioning components, the contractor must have experience in executing works that include all these components in their respective proportions. If the contractor does not have experience in air-conditioning or electrical work, then the contractor shall submit **Form X, Form Y, and Form Z** along with details of the respective agencies having agreements with the main contractor. The associated (petty) contractor must have experience in executing air-conditioning and/or electrical works as per the required percentage mentioned above.”

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum; calculated from the date of completion to last date of receipt of tenders.

**1.2.2. Certificate of Registration for GST and acknowledgement of up to date filed return.**

**1.2.3. Certificate of work experience issued by the Government department/PSU. (As specified in Clause 1.2.1 of CPWD-6)**

**1.2.4. Valid enlistment certificate of Government department mentioned in the NIT.**

**1.2.5. Hard copy of EMD in form of FDR/DD/online receipt and Contract/Bidder have to submit EMD in hard copy in a sealed envelope with clearly mentioning the Tender Id No. on or before the last date and time of submission of bid. Delay in the post or courier may be treated as disqualified.**

2. Agreement shall be drawn with the successful bidders on prescribed Form No. CPWD 7 which is available as a Govt. of India Publication and also available on website [www.cpwd.gov.in](http://www.cpwd.gov.in). Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
3. The time allowed for carrying out the work will be **120 Days** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
4. The site for the work is available. The architectural and structural drawings shall be made available as per requirement of the same as per approved programme of completion submitted by the contractor after award of the work.
5. The tender document consisting of plans if any, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions Of Contract Form can be seen from website [www.aiimsrishikesh.edu.in](http://www.aiimsrishikesh.edu.in) or <https://eprocure.gov.in>

The bid submitted shall be opened on :- **13-05-2026 on 03:00 PM**

6. The contractor whose bid is accepted will be required to furnish performance guarantee of 7.5% (Seven Point Five Percent) of the tendered amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period.  
If the bidder/contractor refuses to execute the work at any stage, the institute has the full right to forfeit the performance guarantee/EMD of the bidder/contractor, either fully or partially, in the interest of the institute. Additionally, the bidder/contractor may be debarred or blacklisted from participating in future bidding for a period of no less than three years or indefinitely, as per the direction/decision of the Engineer-in-Charge.
7. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and local conditions and other factors having a bearing on the execution of the work.
8. The competent authority does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
9. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
10. The competent authority reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
11. The contractor shall not be permitted to tender for works in AIIMS Rishikesh in which his near relative is posted as Divisional Accountant or as an officer in any capacity between the grades of Executive

Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazette officer in AIIMS Rishikesh. Any breach of this condition by the contractor would render him liable to reject his Bid submitted by him.

12. This notice inviting Bid shall form a part of the contract document. The successful bidders /contractor, on acceptance of his tender by the Accepting Authority shall within 10 days from the stipulated date of start of the work, sign the contract consisting of: -
  - a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender.
  - b) Standard C.P.W.D. Form 7 or General condition of contract for C.P.W.D Maintenance work 2020 with up to date correction slips.
13. The valid solvency certificate of minimum 40% of the tendered amount issued by any nationalized bank under the governed by RBI not later than six months or net worth certificate of minimum 40% of the tendered amount duly issued by CA with UDIN number not later than six months.
14. The turnover certificate issued by the Chartered Accountant having valid UDIN number of the last 3 years. The average turnover is the 50% percent of the tendered amount.
15. The bidder has to enclose the valid EPF and ESI certificate.
16. Completion certificate issued by Competent Authority will only be considered. Competent Authority means officer of not below the rank of Executive Engineer/ Equivalent would be acceptable.
17. Notarized copy of the registered partnership deed.
18. Valid Registration certificate of enlistment of contractor in the appropriate category in appropriate class as mentioned in above first para.
19. The bidder is bound to execute the extra item/Non schedule item at their quoted price only.

## **PRE-CONTRACT INTEGRITY PACT**

**Name of Work:- Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS Rishikesh**

**NIT No.:- 02/EE/Civil/2026-27**

This Pre-Contract Integrity Pact (herein after called the Integrity Pact) is made on.....  
.....Day of the month of.....20.....

### **Between**

ALL INDIA INSTITUTE MEDICAL SCIENCES RISHIKESH having its office at AIIMS VEERBHADRA MARG RISHIKESH-249203, (Hereinafter called which expression unless repugnant to the context or meaning thereof be deemed to mean and include its successors, legal representatives and assigns) of the First Party.

### **And**

M/s.,..... with office at .....  
..represented by Shri....., Chief Executive Officer (hereinafter..... called the “BIDDER/Seller”/Contractor which expression shall mean and include, unless the context otherwise requires, his successors and permitted assigns) of the Second Party.

### **Preamble**

[Both AIIMS RISHIKESH and BIDDER referred above are jointly referred to as the Parties]

AIIMS RISHIKESH intends to award, under laid down organizational procedures, Purchase orders /contract/s against Tender /Work Order /Purchase Order No.

AIIMS RISHIKESH desires full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder/s and Contractor/s.

### **NOW, THEREFORE,**

To avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to: -

1. Enable AIIMS RISHIKESH to obtain the desired materials/ stores/equipment/ work/ project done at a competitive price in conformity with the defined specifications by avoiding the high cost and the distortionary impact of corruption on public procurement; and
2. Enable the BIDDER to abstain from bribing or indulging in any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing and other corrupt practices and AIIMS RISHIKESH will commit to prevent corruption, in any form, by its officials by following transparent procedures.

The parties hereto hereby agree to enter into this Integrity Pact and agree as follows:

#### **A. Clause.1. Commitments of AIIMS RISHIKESH**

1.1 AIIMS RISHIKESH undertakes that AIIMS RISHIKESH and/or its Associates (i.e. employees, agents, consultants, advisors, etc.) will not demand, take a promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the BIDDER, either for themselves or for any person, organization or third party related to the contract in exchange for an advantage in the bidding process, bid evaluation, contracting or implementation process related to the contract.

1.2 AIIMS RISHIKESH will, during the tender process / pre-contract stage, treat all BIDDERS with equity and reason, and will provide to all BIDDERS the same information and will not provide any such information or additional information, which is confidential in any manner, to any particular BIDDER which could afford an advantage to that particular BIDDER in comparison to other BIDDERS in relation to tendering process or during the contract execution.

1.3 All the officials of AIIMS RISHIKESH regarding this Integrity Pact will report to IEM, any attempted or completed breaches of the above commitments as well as any substantial suspicion of such a breach shall not be permitted.

1.4 If the BIDDER reports to AIIMS RISHIKESH with full and verifiable facts any misconduct on the part of AIIMS Rishikesh’s Associates (i.e. employees, agents, consultants, advisors, etc.) and the same is prima facie found to be correct by AIIMS RISHIKESH, necessary disciplinary proceedings, or any

other action as deemed fit, including criminal proceedings may be initiated by AIIMS RISHIKESH. Further, such an Associate may be debarred from further dealings related to the contract process. In such a case, while an enquiry is being conducted by AIIMS RISHIKESH the proceedings under the contract would not be stalled.

**B. Clause 2. Commitments of BIDDERS/ Contractors**

2. The BIDDER commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post- contract stage in order to secure the contract or in furtherance to secure it and in particular commit itself to the following:

2.1 The BIDDER will not offer, directly or indirectly (i.e. employees, agents, consultants, advisors, etc.) any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of AIIMS RISHIKESH, connected directly or indirectly with the bidding process, or to any person, organization or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.

2.2 The BIDDER further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of AIIMS RISHIKESH or otherwise in procuring the contract or forbearing to do or having done any act in relation to obtaining or execution of the contract or any other contract with AIIMS RISHIKESH for showing or forbearing to show favour or disfavour to any person in relation to the contract or any other contract with AIIMS RISHIKESH.

2.3\* BIDDER shall disclose the name and address of agents and representatives and Indian BIDDERS shall disclose their foreign principals or associates.

2.4\* BIDDERS shall disclose the payments to be made by them to agents/brokers or any other intermediary, in connection with this bid/contract.

2.5\* The BIDDER further confirms and declares to AIIMS RISHIKESH that the BIDDER is the original manufacture/integrator/authorized government sponsored export entity of the defence stores and has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to AIIMS RISHIKESH or any of its functionaries, whether officially or unofficially to award the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such individual, firm or company in respect of any such intercession, facilitation or recommendation.

2.6 The BIDDER while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payments he has made, is committed to or intends to make to officials of AIIMS RISHIKESH or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.

2.7 The BIDDER will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.

2.8 The BIDDER will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.

2.9 The BIDDER shall not use improperly, for purposes of competition or personal gain, or pass on to others, any information provided by the BUYER as part of the business relationship, regarding plans, technical proposals and business details, including information contained in any electronic data carrier. The BIDDER also undertakes to exercise due and adequate care lest any such information is divulged

2.10 The BIDDER commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.

2.11 The BIDDER shall not instigate or cause to instigate any third person to commit any of the actions mentioned above.

2.12 If the BIDDER or any employee of the BIDDER or any person acting on behalf of the BIDDER, either directly or indirectly, is a relative of any of the officers of AIIMS RISHIKESH, or alternatively, if any relative of an officer of AIIMS RISHIKESH has financial interest/stake in the BIDDER's firm, the same shall be disclosed by the BIDDER at the time of filing of tender. The term 'relative' for this purpose would be as defined in Section 2(77) of the Companies Act 2013

2.13 The BIDDER shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of AIIMS, RISHIKESH.

**C. Clause.3. Previous contravention and Disqualification from tender process and exclusion from future contracts**

a. The BIDDER declares that no previous contravention occurred in the last three years immediately before signing of this Integrity Pact, with any other company in any country in respect of any corrupt practices envisaged hereunder or with any Public Sector Enterprise in India or any Government Department in India that could justify BIDDER's exclusion from the tender process.

b. The BIDDER agrees that if it makes incorrect statement on this subject, BIDDER can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

If BIDDER before award or during execution has committed a contravention through a violation of Clause 2, above or in any other form such as to put his reliability or credibility in question, AIIMS RISHIKESH is entitled to disqualify the BIDDER from the tender process.

**D. Clause.4. Earnest Money Deposit (Security Deposit)**

4.1 While submitting commercial bid, the BIDDER shall deposit an amount \_\_\_\_\_ as Earnest Money/Security Deposit, with the BUYER through any of the following instruments:

(i) Bank Draft or a Pay Order in favour of \_\_\_\_\_

(ii) A confirmed guarantee by an Indian Nationalized Bank, promising payment of the guaranteed sum to the BUYER on demand within three working days without any demur whatsoever and without seeking any reasons whatsoever. The demand for payment by the BUYER shall be treated as conclusive proof of payment

(iii) Any other mode or through any other instrument.

4.2 The Earnest Money/Security Deposit shall be valid upto a period of five years or the complete conclusion of the contractual obligations to the complete satisfaction of both the BIDDER and the BUYER, including warranty period, whichever is later.

4.3 In case of the successful BIDDER a clause would also be incorporated in the Article pertaining to Performance Bond in the Purchase Contract that the provisions of Sanctions for Violation shall be applicable for forfeiture of Performance Bond in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.

4.4 No interest shall be payable by the BUYER to the BIDDER on Earnest Money/Security Deposit for the period of its currency.

**E. Clause.5. Consequences of Violation / Breach**

5.1 Any breach of the aforesaid provision by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle AIIMS RISHIKESH to take all or any one of the following action, wherever required: -

i. To immediately call off the pre-contract negotiations without assigning any reason or giving any compensation to the BIDDER. However, the proceedings with the other BIDDER(s) would continue.

ii. The Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/Performance Bond (after the contract is signed) shall stand forfeited either fully or partially, as decided by the BUYER and the BUYER shall not be required to assign any reason therefore.

iii. To immediately cancel the contract, if already signed, without giving any compensation to the BIDDER.

iv. To recover all sums already paid by the BUYER, and in case of an Indian BIDDER with interest thereon at 2% higher than the prevailing Prime Lending Rate of State Bank of India, while in case of a BIDDER from a country other than India with interest thereon at 2% higher than the UBOR. If any outstanding payment is due to the BIDDER from the BUYER in connection with any other contract for any other stores, such outstanding payment could also be utilized to recover the aforesaid sum and interest..

v. To encash the advance bank guarantee and performance bond/warranty bond, if furnished by the BIDDER, in order to recover the payments, already made by the AIIMS RISHIKESH, along with interest .

vi. To cancel all or any other Contracts with the BIDDER. The BIDDER shall be liable to pay compensation for any loss or damage to the BUYER resulting from such cancellation/rescission and the BUYER shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.

vii. To debar the BIDDER from participating in future bidding processes of the Government of India for a minimum period of five years, which may be further extended at the discretion of the BUYER.

viii. To recover all sums paid in violation of this Pact by BIDDER(s) to any middleman or agent or broker with a view to securing the contract.

ix. In cases where irrevocable Letters of Credit have been received in respect of any contract signed by the BUYER with the BIDDER, the same shall not be opened.

x. Forfeiture of Performance Bond in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact

5.2 AIIMS RISHIKESH will be entitled to all or any of the actions mentioned in Para 5.1 (i) to (x) of this pact also on the commission by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER), of an offence as defined in Chapter IX of the Indian Penal Code, 1860 or Prevention of Corruption Act, 1988 or any other statute enacted for prevention of corruption.

5.3 The decision of AIIMS RISHIKESH to the effect that a breach of the provisions of this Pact has been committed by the BIDDER shall be final and conclusive on the BIDDER. However, the BIDDER can approach the Independent External Monitor(s) appointed for the purposes of this Pact.

#### **F. Clause.6. Fall Clause**

The BIDDER undertakes that it has not supplied/is not supplying similar product/systems or subsystems OR providing similar services at a price / charge lower than that offered in the present bid in respect of any other Ministry/Department of the Government of India or PSU and if it is found any stage that similar product/systems or sub systems was supplied by the BIDDER to any to the Ministry/Department of the Government of India or a PSU at a lower price, then that very price, with due allowance for elapsed time will be applicable to the present case and the difference in the cost would be refunded by the BIDDER to AIIMS RISHIKESH, if the contract has already been concluded.

#### **G. Clause.7. Independent External Monitors**

7.1 The BUYER has appointed Independent Monitors (hereinafter referred to as Monitors) for this Pact in consultation with the Central Vigilance Commission. Name and address of IEMs are given below:-

|   |
|---|
| (1) Shri Rais Ahmad, IOFS (Retd.)<br>Independent External Monitor (IEM), AIIMS-R<br>Address: Mahagun Moderne,<br>Tower: OSIMO-240, Sector – 78, Noida – 201301 Mobile<br>No.: 9910007239.<br>Email ID: ahmadrais1959@gmail.com                            |
| (2) Mrs. Usha Chandrashekhar, IPoS(Retd.) Independent<br>External Monitor (IEM), AIIMS-R Address: Flat No. C-5,<br>Bollineni Homes,<br>Near Hitech Theatre, Madhpur, Hyderabad-500081 Mobile<br>No.: 9449872140.<br>Email ID: ushacandrashekhar@gmail.com |

7.2 The task of the Monitors shall be to review independently and objectively, whether and to what extent the parties comply with the obligations under this Pact.

7.3 The Monitors shall not be subject to instructions by the representatives of the parties and perform their functions neutrally and independently.

7.4 Both the parties accept that the Monitors have the right to access all the documents relating to the project/procurement, including minutes of meetings.

7.5 As soon as the Monitor notices, or has reason to believe, a violation of this Pact, he will so inform the Authority designated by the BUYER.

7.6 The BIDDER(s) accepts that the Monitor has the right to access without restriction to all Project documentation of the BUYER including that provided by the BIDDER. The BIDDER will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project

documentation. The same is applicable to Subcontractors. The Monitor shall be under contractual obligation to treat the information and documents of the BIDDER/ Subcontractor(s) with confidentiality.

7.7 The BUYER will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the parties. The parties will offer to the Monitor the option to participate in such meetings.

7.8 The Monitor will submit a written report to the designated Authority of BUYER/Secretary in the Department! within 8 to 10 weeks from the date of reference or intimation to him by the BUYER / BIDDER and, should the occasion arise, submit proposals for correcting problematic situations.

**H. Clause.8. Facilitation of Investigation**

In case of any allegation of violation of any provisions of this Pact or payment of commission, the BUYER or its agencies shall be entitled to examine all the documents including the Books of Accounts of the BIDDER and the BIDDER shall provide necessary information and documents in English and shall extend all possible help for the purpose of such examination

**I. Clause.9. Law and Place of Jurisdiction**

This Pact is subject to Indian Law. The place of performance and jurisdiction is the seat of the BUYER.

**J. Clause.10. Other Legal Actions**

In case of any allegation of violation of any provisions of this Pact or payment of commission, AIIMS RISHIKESH or its agencies shall be entitled to examine all the documents, including the Books of Accounts of the BIDDER and the BIDDER shall provide necessary information and documents in English and shall extend all possible help for the purpose of such examination.

**K. Clause.11. Law and Place of Jurisdiction**

Both the Parties agree that this Pact is subject to Indian Law. The place of performance and hence this Pact shall be subject to Rishikesh Jurisdiction.

**L. Clause.12. other legal Actions**

The actions stipulated in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extant law in force relating to any civil or criminal proceedings.

**M. Clause.13. Validity and Duration of the Agreement**

The validity of this Integrity Pact shall be from date of its signing and extend upto 5 years or the complete execution of the contract to the satisfaction of both the BUYER and the BIDDER/Seller, including warranty period, whichever is later. In case BIDDER is unsuccessful, this Integrity Pact shall expire after six months from the date of the signing of the contract.

Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact shall remain valid. In this case, the parties will strive to come to an agreement to their original intentions.

14. The parties hereby sign this Integrity Pact at \_\_\_\_\_ on \_\_\_\_\_

**AIIMS RISHIKESH**

Signature

Name and Designation

\_\_\_\_\_

**Bidder**

Signature

Name and Designation

\_\_\_\_\_

Witness

1.....

2.....

Witness

1.....

2.....

\* Provisions of these clauses would be amended /deleted in line with the policy of the AIIMS RISHIKESH in regard to involvement of Indian agents of foreign supplier.

\* \* \*

## निविदा TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.

We agree to keep the tender open for Ninety (90) days from the due date of opening of financial bid and not to make any modification in its terms and conditions.

I/We undertake and confirm that eligible similar work(s) has / have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of AIIMS Rishikesh, then I/We shall be debarred for tendering in AIIMS Rishikesh in future forever. Also, if such a violation comes to the notice of Department before date of start of work, The Engineer – in – Charge shall be free to forfeit the entire amount of Earnest Money Deposit / Performance Guarantee.

मैं/हम एतद्वारा घोषणा करते हैं कि मैं/हम निविदा कागजातों, नक्शों और कार्य से संबंधित अन्य अभिलेखों को गुप्त/गोपनीय कागजात के रूप में रखेंगे और उनसे प्राप्त/ली गई जानकारी किसी अन्य को, जिन्हें मैं/हम सूचित करने के लिए प्राधिकृत हो, से भिन्न किसी को, नहीं बताएंगे या जानकारी को किसी ऐसे रूप में प्रयोग नहीं करेंगे जो राज्य की सुरक्षा के लिए प्रतिकूल हो।

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived therefrom to any person other than a person to whom I/We am/are authorised to communicate the same or use the information in any manner prejudicial to the safety of the State.

तारीख Dated #.....

ढेकेदार के हस्ताक्षर Signature of Contractor#  
डाक का पता Postal Address#

साक्षी Witness : #

पता Address: #

उपजीविका Occupation: #

**# To be filled in by the contractor/witness as applicable**

**ACCEPTANCE**

The above tender (as modified vide letters mentioned hereunder) is accepted by me for and on behalf of the Executive Director, AIIMS Rishikesh for a sum of ₹. \_\_\_\_\_

(Rupees \_\_\_\_\_)

The letters referred to below shall form part of this contract Agreement: -

- a)
- b)
- c)

For & on behalf of the Executive Director, AIIMS Rishikesh

Signature.....

तारीख Dated ..... ..

Designation.....

अनुसूचियां SCHEDULES  
[ FOR MAJOR (CIVIL) COMPONENT ]

अनुसूची 'क' SCHEDULE 'A'  
मात्राओं की अनुसूची (संलग्न)

Schedule of quantities (Enclosed)

Page No. - 47-61

अनुसूची 'ख' SCHEDULE 'B'  
टेकेदार की निर्गत की जाने वाली सामग्रियों की अनुसूची  
Schedule of materials to be issued to the contractor.

| क्रम सं.<br>S.No. | मद विवरण<br>Description of item | मात्रा<br>Quantity | जिस दर पर सामग्रियां टेकेदार को प्रभारित होगी वह दर अंकों एवं षब्दों में<br>Rates in figures & words at which the material will be charged to the contractor | निर्गत स्थान<br>Place of Issue |
|-------------------|---------------------------------|--------------------|--|--------------------------------|
|-------------------|---------------------------------|--------------------|--|--------------------------------|

| 1            | 2 | 3 | 4 | 5 |
|--------------|---|---|---|---|
| <del> </del> |   |   |   |   |

अनुसूची 'ग' SCHEDULE 'C'

टेकेदार को भाड़े पर दिए जाने वाले औजार एवं संयंत्र

Tools and plants to be hired to the contractor

| क्रम सं.<br>Sl. No. | विवरण<br>Description | भाड़ा प्रभार प्रतिदिन<br>Hire charges per day | निर्गत स्थान<br>Place of Issue |
|---------------------|----------------------|---|--------------------------------|
|---------------------|----------------------|---|--------------------------------|

| 1            | 2 | 3 | 4 |
|--------------|---|---|---|
| <del> </del> |   |   |   |

अनुसूची 'घ' SCHEDULE 'D'

कार्य के लिए विशेष अपेक्षाएं/दस्तावेज, यदि कोई हों, की अतिरिक्त अनुसूची

Extra schedule for specific requirements/documents for the work, if any.

-----Nil-----

अनुसूची (ड) SCHEDULE 'E'

1. टेके की सामान्य शर्तों का संदर्भ  
Reference to General Conditions of contract
- General conditions of contract for CPWD works 2023 (maintenance work) as amended upto date.

Name of work :- **Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS Rishikesh.**

- कार्य की अनुमानित लागत Estimated cost of work : **Rs. 64,44,378.86**
- (i) धरोहर राशि Earnest money : **Rs. 3,22,219.00 in form of FDR from scheduled bank.**
- (ii) निष्पादन गारंटी Performance guarantee : 7.5% of Tendered value. निविदित मूल्य का 7.5%
- (iii) प्रतिभूति निक्षेप: Security Deposit: 2.5% of each bill

अनुसूची 'च' SCHEDULE 'F'

सामान्य नियम एवं दिशानिर्देश:

**General Rules & Directions:**

निविदा आमंत्रण करने वाला प्राधिकारी

Officer inviting tender -

कार्य की मर्दों की मात्रा के लिए अधिकतम प्रतिषत जिससे अधिक निष्पादित मर्दों के लिए दरों का निर्धारण खण्ड 12.2 और 12.3 के अनुसार होगा

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.3.

**Executive Engineer , AIIMS Rishikesh**

निम्नानुसार

see below

2(v) Definitions:

भारसाधक इंजीनियर

Engineer-in-Charge

**Executive Engineer (C), for Civil Work  
Executive Engineer (E) For Electrical Work**

2(viii) स्वीकार कर्ता प्राधिकारी

Accepting Authority

**Superintending Engineer, AIIMS Rishikesh**

2(x) अतिरिक्त और लाभों को पूरा करने के

लिए श्रम एवं सामग्रियों की लागत पर प्रतिषतता

Percentage on cost of materials and labour to cover all overheads and profits.

**15% (Fifteen per cent)**

2(xi) दरों की मानक अनुसूची

Standard schedule of Rates for Civil: -

**Delhi Schedule of rate 2023(Civil)/Market Rate issued upto date of receipt of tender.**

2(xii) विभाग

Department

**AIIMS Rishikesh**

9(ii) मानक के.लो.नि.वि. ठेका फार्म

Standard CPWD contract Form

**CPWD form7 GCC 2023 Maintenance work with up to date correction slip.**

|                            |  |   |
|----------------------------|--|---|
| <b>खण्ड Clause 1</b>       | स्वीकृति पत्र जारी होने की तारीख से निष्पादन गारंटी के प्रस्तुतीकरण के लिए अनुमत समय<br>Time allowed for submission of performance guarantee from the date of issue of letter of acceptance  | : 10 days   |
|                            | ;पद्ध (उपर्युक्त प) में दी गई अवधि के पश्चात् अधिकतम अनुमेय एक्सटेंशन<br>Maximum allowable extension with late fee @ 0.10% per day of performance guarantee amount beyond the period as provided in (i) above  | : 07 days   |
| <b>Clause 3</b>            | When Contract can be Determined  | Applicable  |
| <b>खण्ड Clause 2</b>       | खण्ड 2 के तहत प्रतिकार निश्चित करने वाला प्राधिकारी<br>Authority for fixing compensation under clause 2  | <b>Superintending Engineer, AIIMS Rishikesh</b>             |
| <b>खण्ड Clause 2A</b>      | क्या खण्ड 2 क लागू होगा<br>Whether clause 2A shall be applicable   | <b>No</b>   |
| <b>खण्ड Clause 5</b>       | कार्य आरंभ की तारीख की गणना के लिए स्वीकृति पत्र के जारी होने की तारीख से दिनों की संख्या<br>No. of days from the date of issue of letter of acceptance for reckoning date of start  | <b>10 days.</b>   |
|                            | लक्ष्य नीचे दी गई सारणी के अनुसार  |   |
|                            | <b><u>Milestone(s): -</u></b>  | <b>NA</b>   |
|                            | कार्य निष्पादित करने के लिए अनुमत्य समय<br>Time allowed for execution of work<br>Authority to decide<br>(i) Extension of Time  | <b>120 Days</b><br>Superintending Engineer, AIIMS Rishikesh |
|                            | (ii) Rescheduling of mile stones   | Superintending Engineer, AIIMS Rishikesh.                   |
|                            | (iii) Shifting of date of start in case of delay in handing over of site   | Executive Engineer , AIIMS Rishikesh                        |
| <b>खण्ड Clause 6</b>       | Computerized Measurement Book (CMB) / Electronic Measurement Book (EMB) through CPWD ERP portal  | : <b>Applicable</b>   |
| <b>खण्ड Clause 7</b>       | अंतरिम भुगतान के लिए पात्र होने के लिए अंतिम ऐसे भुगतान के बाद कुल भुगतान एकत्रित सामग्रियों के अग्रिमों के समायोजन सहित किया जाने वाला कुल कार्य<br>Gross work to be done together with net payment/adjustment of advances for material collected, if any since the last such payment for being eligible to interim payment | <b>Rs.5.0 Lakhs</b>   |
| <b>Clause 8A</b>           | Contractor to keep Site Clean.   | <b>Applicable</b>   |
| <b>खण्ड 10 d Clause10A</b> | कार्यस्थल प्रयोगशाला में ठेकेदार द्वारा उपलब्ध कराये जाने परीक्षण उपकरण की सूची  |   |

List of testing equipment to be provided by the contractor at site lab. **N.A.**

**खण्ड Clause10B(ii)**

क्या खण्ड 10 ख ;पपद्ध लागू होगा  
Whether clause 10B (ii) shall be applicable **N.A.**

**खण्ड Clause10C**

Component of labour expressed as  
Percent of value of work **N.A.**

**खण्ड Clause 10CC - NOT APPLICABLE.**

खण्ड 10 गग उन सविदाओं पर लागू होगा जिसमें कार्य समापन की अवधि, अमले कालम में दर्शाई गई अवधि से अधिक अनुबंधित है।  
Clause 10CC to be applicable in case of DELETED with stipulated period of compensation exceeding the period shown in next column : ..... Months

**खण्ड Clause10d**

**Yes**

**खण्ड Clause 11**

कार्य निष्पादन के लिए अनुपालन  
Specifications to be followed for execution of work

**For Civil : CPWD specification 2019, Volume-I & II with correction slips upto date of receipt of tender.**

**खण्ड Clause 12**

**Applicable**

12.2 & 12.3

विचलन सीमा जिसके परे खण्ड 12.2 तथा 12.3 भवन निर्माण कार्य के लिए लागू होंगे  
Deviation limit beyond which clauses 12.2 & 12.3 shall apply for building work (Other than foundation)

**50%**

12.5

(i) Deviation limit beyond which clauses 12.2 & 12.3 shall apply for foundation work (except earth work)

**50%**

(ii) Deviation limit for items in earth work subhead of DSR or related items

**100%**

**Clause 14**

Carrying out part work at risk & cost of contractor

**Applicable**

**Clause 15**

**Applicable**

**खण्ड Clause 16**

**Applicable**

घटी हुई दरे निर्धारित करने की लिए सक्षम प्राधिकारी  
Competent Authority for deciding reduced rates

**Superintending Engineer, AIIMS Rishikesh**

**Clause 17**

**Applicable**

**खण्ड Clause 18**

कार्यस्थल पर ठेकेदार द्वारा लगाये जाने वाली अनिवार्य मशीनरी औजार एवं सयंत्रों की सूची :-  
List of mandatory machines, tools and plants to be deployed by the contractor at site.

**N.A.**

**Clause 19**

**Applicable**

**Clause 19 A**

**Applicable**

**Clause 19 B**

**Applicable**

**Clause 19 C**

**Applicable**

**Clause 19 D**

**Applicable**

**Clause 19 E**

**Applicable**

**Clause 19 I**

**Applicable**

**Clause 19 K**

**Applicable**

**Clause 19 L**

**Applicable**

**Clause 20**

**Applicable**

**Clause 23**

**Applicable**

Clause 24

Applicable

खण्ड Clause 25

Constitution of dispute redressed committee (DRC)

Deleted

Clause 28

Applicable

**Clause 32: Employment of technical staff & employee**

“Requirement of Technical Representative (s) and Recovery Rates”

| Cost of work in Rs.                 | Requirement of Technical Qualification | Number of (Major +Minor Component) | Designation ( Technical Staff )         | Minimum Experience (Years ) | Rate at which recovery shall be made from the contractor in the event of not fulfilling |
|-------------------------------------|--|------------------------------------|---|-----------------------------|---|
| More than 15 lakhs up to 1.5 Crores | Graduate Engineer OR Diploma Engineer  | 1 of major component               | Planning/Quality/Site /Billing Engineer | 2 or 5 respectively         | Rs. 15000/- per month per person  |

“Cost of work” in the table above, means the agreement amount of the work.

**Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.**

Diploma holder with minimum 10 years relevant experience with reputed construction company can be treated at par with graduate engineers for the purpose of such deployment subject to the condition that such diploma holder should not exceed 50% of requirement of degree engineers.

**Clause 38**

खण्ड क) सीमेन्ट और बिटुमन की अनुमानमूल मात्रा निर्धारित करने के लिए अनुसूची /विवरण

केलोनवि द्वारा मुद्रित दिल्ली दर अनुसूची 2023 के आधार पर खण्ड

|        |   |   |
|--------|---|---|
| I) (a) | Schedule/statement for determining theoretical quantity of cement & bitumen             | on the basis of Delhi Schedule of Rates 2023 printed by C.P.W.D. with correctionslips issued up to date of receipt of tender. |
| II)    | अनुमानमूलक मात्राओं में अनुमत्य विचलन Variations permissible on theoretical quantities. | <b>Yes</b>  |
| II)    | अनुमानमूलक मात्राओं में अनुमत्य विचलन Variations permissible on theoretical quantities. | <b>Yes</b>  |
| d½     | सीमेन्ट जिन कार्यों के लिए निविदा में अनुमानित मूल्य रु. 5 लाख से अधिक न हो             |   |
| a)     | Cement for works with estimated cost put to tender not more than Rs. 5 lakhs            | Not Applicable  |
|        | जिन कार्यों के लिए निविदा में अनुमानित मूल्य रु. 5 लाख से अधिक हो                       | 2 प्रतिशत जमा/घटा   |
|        | for works with estimated cost put to tender more than Rs. 5 lakhs                       | 2 % plus/minus.   |
| ख)     | बिटुमन सभी कार्यों के लिए   | 2.5 प्रतिशत केवल जमा और घटा के पक्ष में शून्य   |
| b)     | Bitumen for all works   | 2.5% plus only & Nil on minus side.   |
| ग)     | इस्पात प्रत्येक व्यास, कोट और श्रेणी के लिए पुनर्वहन और संरचनात्मक इस्पात काट           | 2 प्रतिशत जमा/घटा   |

|    |  |               |
|----|--|---------------|
| c) | Steel Reinforcement and structural steel sections for each diameter, section and category. | 2% plus/minus |
| घ) | सभी अन्य सामग्रियां  | शून्य         |
| d) | All other materials  | Nil.          |

अनुमत्य विचलन से अधिक की मात्राओं के लिए वसूली दर

**RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION**

| क्रम<br>सं.<br>SI<br>No. | मद विवरण<br>Description of item | अंको और षब्दों में वह दर जिस पर ठेकेदार से वसूली की जाएगी<br>Rates in figures and words at which recovery shall be made from the Contractor |  |
|--------------------------|---------------------------------|---|--|
|                          |                                 | अनुमत्य विचलन से अधिक आधिक्य<br>Excess beyond permissible variation   | अनुमत्य विचलन से अधिक उपयोग घटाया<br>Less use beyond the permissible variation |
| 1.                       | सीमेन्ट Cement                  | N.A.  | <b>Rs. 6210/- Per MT</b>   |
| 2.                       | ईस्पात Steel Reinforcement      | N.A.  | <b>Rs. 53099/- Per M.T.</b>  |

**FORM OF EARNEST MONEY (BANK GUARANTEE)**

WHEREAS, contractor ..... (Name of contractor) (Hereinafter called "the contractor") has submitted his tender dated ..... (date) for the construction of (name of work) (hereinafter called "the Tender")

KNOW ALL PEOPLE by these presents that we ..... (name of bank) having our registered office at ..... (hereinafter called "the Bank") are bound unto ..... (Name and division of Executive Engineer) (hereinafter called "the Engineer-in-Charge") in the sum of Rs. .... (Rs. in words ..... ) for which payment well and truly to be made to the said Engineer-in-Charge the Bank binds itself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank this ..... day of .....20...

THE CONDITIONS of this obligation are:

- (1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
- (2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
  - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required;
  - (b) OR
  - (b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor, OR
  - (c) fails or refuses to start the work, in accordance with the provisions of the contract and Instructions to contractor, OR
  - (d) fails or refuses to submit fresh Bank Guarantee of an equal amount of this Bank Guarantee, against Security Deposit after award of contract.

We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of first written demand, without the Engineer-in-Charge having to substantiate his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by him is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date. \* after the deadline for submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in-Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE

SIGNATURE OF THE BANK

WITNESS

SEAL

(SIGNATURE, NAME AND ADDRESS)

\*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

**PARTICULAR SPECIFICATIONS**  
**&**  
**SPECIAL CONDITIONS**

**1. GENERAL**

- 1.1 Wherever any reference to any Indian Standard Specifications of BIS occurs in the documents relating to this contract, the same shall be inclusive of all amendments issued there-to or revisions thereof, if any, up to the date of receipt of tenders.
- 1.2 The contractor shall work according to the programme of work as approved by the Engineer-in-charge, for which purpose, the contractor shall submit a programme of the work within 15 days from the stipulated date of start of the work.
- 1.3 The contractor shall take instructions from the Engineer-in-charge for stacking of materials at site. No excavated earth or building materials shall be stacked on areas where the buildings, roads, services or compound walls are to be constructed.
- 1.5 Unless otherwise provided in the Schedule of quantities, the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building and nothing shall be payable to him on this account.
- 1.6 The working drawings appearing at para 8.1(iii) of conditions of contract in the form CPWD-8, shall mean to include both architectural and structural drawings respectively. The structural and architectural drawings shall be properly correlated before executing the work. In case of any difference noticed between architectural and structural drawings, final decision, in writing of the Engineer-in-charge shall be obtained by the contractor before proceeding further.
- 1.7 Some restrictions may be imposed by the security staff etc. on the working and for movement of labour, materials etc. The contractor shall be bound to follow all such restriction / instructions including issue of identity cards to all persons authorized by him to do work / visit the work site and nothing shall be payable on this account.
- 1.8 The contractor shall make his own arrangements for obtaining electric connections, if required, and make necessary payments directly to the department concerned.
- 1.9 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor (s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose of the materials being used or removed, so as not to interfere with the operations of other contractors, or he shall arrange his work with that of the others in an acceptable and coordinated manner and shall perform it in proper sequence to the complete satisfaction of Engineer-in-Charge. The contractor shall be responsible for any damage due to hindrance caused by him.
- 1.10 All the material related to the work execution shall be approved by Engineer-In-charge.
- 1.11 Any cement slurry added over base surface for bond or for continuation of concreting, for protecting reinforcement bars, its cost shall be deemed to have been included in the respective items, unless specified otherwise and nothing extra shall be payable nor extra cement shall be considered in the cement consumption on this account.
- 1.12 Stacking of materials and excavated earth including its disposal shall be done as per the directions of the Engineer-in-Charge. Double handling of materials or excavated earth if required at any stage shall have to be done by the contractor at his own cost.
- 1.13 No claim for idle establishment & labour, machinery & equipments, tools & plants and the like, for any reason whatsoever, shall be admissible during the execution of work as well as after its completion.
- 1.14 Only Stainless Steel screws shall be used unless otherwise specified.
- 1.15 **Work shall be carried out in professional manner with finished product serving the intended purpose with specified strength, durability and aesthetics.**

- 1.16 Work activities shall be executed in well thought out sequences such that consequent activities not adversely affecting previously done work. Nothing extra shall be payable to protect the works already done.
- 1.17 The contractor shall prepare all the needed shop drawings well in advance and get them approved before placing the order and execution of the item.
- 1.18 Contractor shall be able to claim bill only after issuing site clearance certificate from Junior Engineer & Assistant Engineer.
- 1.19 Contractor shall submit all material in store which is to be consumed according to specifications during execution of work. It will be further issued by concerned JE and AE according to daily requirement.
- 1.20 All materials to be used during work shall be got approved from engineer in charge.
- 1.21 All samples of material shall be got approved from engineer in charge before execution of work.
- 1.22 The contractor(s) shall inspect the site of work before tendering and acquaint himself with the site conditions and **no claim on this account** shall be entertained by the department.
- 1.23 The tender shall see the approaches to the site. In case any approach from main road is required at or existing approach is to be improved and maintained for cartage of materials by the contractor, the same shall be provided, improved and maintained by the contractor at his own cost.
- 1.24 Contractor shall take all precautionary measures to avoid any damage to adjoining property. **All necessary arrangement shall be made at his own cost.** Any damage caused by the contractor to the contractor to existing building/ installation / roads / boundary walls shall be made good by him (the contractor) at his own cost.
- 1.25 The contractor shall take all precautions to avoid accidents by exhibiting necessary caution board day and night, speed limit, red flags, red lights and proving barriers. He shall be responsible for all damages and accidents caused to existing / new work due to negligence on his part. No hindrances shall be caused to traffic, running of hospital services during the execution of the work.
- 1.26 Royalty at the prevailing rates whenever payable shall have to be paid by the contractor on the boulders, metal, shingle, sand and bajri etc. Or any other material collected by him for the work direct to revenue authorities and **the department shall pay nothing extra for the same.**
- 1.27 The contractor shall provide at his own cost suitable weighing, surveying and levelling and measuring arrangements as may be necessary at site for checking. All such equipment shall be got calibrated in advance from laboratory, approved by the Engineer-In-Charge. **Nothing extra shall be payable on this account.**
- 1.28 Contractor shall provide permanent bench mark, flags tops and other reference points for the proper execution of work and these shall be preserved till the end of work. All such reference points shall be in relation to the level and location, given in the Architectural and plumbing drawings.
- 1.29 Water tanks, taps, sanitary, water supply and drainage pipes, civil fittings and accessories should conform to byelaws and municipal body / corporation where CPWD specifications are not available. The contractor should engage licensed plumbers for the work and get the materials (fixture /fittings) tested by municipal Body / Corporation authorities wherever required at his own cost.
- 1.30 The contractor shall give performance test of the entire installations as per the standing specifications before the work is finally accepted and completion certificate is recorded by the Engineer- In -Charge. **Nothing extra whatsoever shall be payable to the contractor for the test.**
- 1.31 Any cement slurry added over base surface for the continuation of concreting for better bond is deemed to have been included in the items and **nothing extra shall be payable on this account, also the cement consumed on this account shall not be considered in theoretical consumption.**  
**For RCC work, only factory made round type cover block shall be used.**
- 1.32 The contractor shall bear all incidental charges for cartage, storage and safe custody of materials bought to site.

- 1.33 The work shall be carried out in accordance with the Architectural drawings and structural drawings, to be issued from time to time, by the Engineer-In-Charge. Before commencement of any item of work, the contractor shall correlate all the relevant architectural and structural drawings issued for the and satisfy himself that the information available there from is complete and unambiguous.  
**The discrepancy, if any, shall be brought to the notice of the Engineer-In-Charge before execution of the work. The contractor alone shall be responsible for any loss or damage occurring by the commencement of the work on the basis of any erroneous and or incomplete information.**
- 1.34 Other agencies will also simultaneously execute and install the works of internal electrical installations, sub- station / generating sets, air- conditioning, lifts, etc. for the work and the contractor shall afford necessary facilities for the same. The contractor shall leave such recesses, holes, openings trenches etc. as may be required for such related works (for which inserts, sleeves, brackets, conduits, base plates, clamps etc. Shall be supplied free of cost by the department unless otherwise specifically mentioned) and the contractor shall fix the same at the time of casting of concrete, stone work and brick work, if required, and **nothing extra shall be payable on this account.**
- 1.35 All materials obtained from Govt. stores or otherwise shall be got checked by the Engineer-In-Charge or his any authorized supervisory staff on receipt of the same at site before use.
- 1.36 All material shall only be brought at site as per programme finalized with the Engineer-In-Charge. Any pre-delivery of the material not required for immediate consumption shall not be accepted and thus not paid for.
- 1.37 The architectural drawings given in the tender other than those indicated in nomenclature of the items are only indicative of the nature of the work and materials / fixtures involved unless otherwise specifically mentioned. However, the work shall be executed in accordance with the drawings duly approved by the Engineer-In –Charge. Architectural drawings are available in the office of Engineer-In-Charge and can be seen.
- 1.38 Normally contractors shall not be allowed to work at night. Work at night shall, however, be allowed if the site conditions / circumstances at night, **no claim on this account shall be entertained. In such situations the contractor shall make available to the department proper means of transport such as vehicle at his own cost.**
- 1.39 Existing drains, cables, pipes, over-head wires, sewer lines and similar services encountered in the course of execution of work shall be protected against the damage by the contractor's own expense. The contractor shall not store materials or otherwise occupy any part of the site in a manner likely to hinder the operation of such services. In no case such services should be stopped to the existing buildings.
- 1.40 The contractor shall be responsible for the watch and ward/ guard of the buildings, safety of all fitting and fixtures provided by him against pilferage and breakage during the period of installations and thereafter till the building is physically handed over to the department. **No extra payment shall be made on this account.**
- 1.41 The day to day receipt and issue accounts of different / brands of cement shall be maintained separately in the standard Performa by the Jr. Engineer of work and which shall be duly signed by the contractor or his authorized representative.
- 1.42 The contractor shall be fully responsible for the safe custody of materials brought by him issued to even though the materials are under double lock key system.
- 1.43 The contractor shall procure the required materials in advance so that there is sufficient time for testing of the materials and clearance of the same before use in the work. Any predelivery of the materials not required for immediate consumption shall not be resorted to. The contractor shall provide at his own cost suitable weighing and measuring arrangements at site for checking the weight / dimensions as may be necessary for execution of work.
- 1.44 No payment shall be made to the contractor for any damage caused by rain, floods, earthquake or any other natural causes whatsoever during execution of work. The contractor at his own cost will make the damages to the work good and no claim on this account shall be entertained.
- 1.45 For construction works which are likely to generate malba / rubbish to the tune of more than a truck load, contractor shall dispose of malba, rubbish & other unserviceable materials and

- wastes at his own cost** to the notified specified dumping ground and under no circumstances these shall be stacked / dumped even temporarily, outside the construction premises.
- 1.46 Any damage done by the contractor to any existing work or work being executed by other agencies shall be made good by him at his own cost.
- 1.47 On the account of security consideration, there would be some restrictions, on the working hours, movement of vehicle for transportation of material and location of labour camp. The contractor shall be bound to follow all such restrictions and adjust the programme for execution of work.
- 1.48 The contractor shall also be required to follow the rules & restrictions imposed on working / movement/ stacking of materials by the local competent authority at all times. Nothing extra shall be payable on this account.
- 1.49 In case, there is any discrepancy between English version and corresponding Hindi version, if provided, then the provisions in English version will prevail.
- 1.50 The contractor will have to work as per schedule given by the Engineer-In-Charge.
- 1.51 The contractor shall remove all splashes from doors, windows and floors etc. if the contractor fails to remove the same 10% of gross value of the bills would be kept in deposit from each bill simultaneously.
- 1.52 The contractor submits the authenticated copies of itemized bills of the material which has to be entered in the M.A.S. Register viz steel, Cement, Bitumen, Paint water proofing material or any other item suggested by the technical sanction authority before settling payment.
- 1.53 The contractor shall pump the concrete wherever necessary to expedite the progress of work.  
**Nothing extra shall be paid on this account.**
- 1.54 Sample of building material, fitting and other articles required for execution of work shall be got approved from the Engineer-In-Charge before use in the work. The quantity of samples brought by the contractor shall be judge by standards laid down in the relevant BIS specification.
- 1.55 All material and fittings brought by the contractor to the site for use shall conform to the samples approved by the Engineer-In-Charge which shall be preserve till the completion of work. If a particular brand of material is specified in the item of work in schedule of quantity, the same shall be used after getting the same approved from Engineer-In-Charge. Wherever brand/quality of material is not specified in the items of work, the contractor shall submit the samples as per suggestive list of brand name given in the tender document /particular specifications for approval of Engineer-In-Charge. For all other items, materials and fitting carrying BIS mark shall be used with approval of Engineer-In-Charge. Wherever BIS marked material / fittings are not available, the contractor shall submit samples of material/fittings manufactured by firm of repute conforming to relevant specification or IS codes and use the same only after getting the approval of Engineer-In-Charge. To avoid delay, contractor should submit samples as stated above well in advance so as to give timely order for procurement. If any material, even though approved by Engineer-In-Charge is found defective or not conforming to specifications shall be replaced/removed by the contractor at his own risk and cost.
- 1.56 The contractor shall ensure quality construction in a planned and time in bound manner. Any sub-standard material/work beyond set-out tolerance limit shall be summarily rejected by the Engineer-In-Charge& contractor shall be bound to replace/ remove such sub-standard/defective work immediately.
- 1.57 BIS marked items (except cement and steel) required on the work shall be got tested. Only important tests shall be carried out. The frequency of such tests shall be 25%of the frequency specified in the CPWD specifications 2009 Vol. I to II with up to date correction slips. for certain items, if the frequency of test is not mentioned in CPWD specifications then relevant IS code shall be followed and tests shall be carried out @25% of frequency specified therein.
- 1.58 BIS marked materials except otherwise specified shall be subjected to quality test besides testing of other materials as per the specifications described for the item/material. Wherever BIS marked materials are brought to the site of work, the contractor shall furnish manufacturer's test certificate or test certificate from approved testing laboratory to establish that the material produced by the contractor for incorporation in the work satisfies the provisions of BIS codes relevant to the material and /or the work done.

- 1.59 Sample for testing –The contractor shall provide samples of materials required for testing free of charge. The cost of test shall be borne by the contractor / department in the manner indicate below: -
- (a) By the contractor, if the results show that the material does not conform to relevant specifications.
  - (b) By the department, if the result show that the material conforms to relevant specifications. **All other expenditure required to be incurred for talking samples, conveyance, packing etc. shall be borne by the contractor himself.**
- 1.60 However, if any load testing or special testing is to be done for concrete whose strength is doubtful, the cost of the same shall be borne by the contractor.
- 1.61 All necessary tests as per the NIT/CPWD specifications/ relevant BIS codes shall be carried out on all the materials whether ISI marked or otherwise. Wherever NIT/CPWD specifications/relevant BIS Codes do not specify the frequency of tests, the same shall be carried out as per the directions of the engineer –in-charge. Nothing extra whatsoever shall be payable on this account.
- 1.62 The contractor shall ensure quality control measures on different aspects of construction methodologies to be adopted.
- 1.63 Lists of approved makes and brand of materials for civil works and sanitary works are annexed hereto. Makes and brands of materials specified therein shall only be used on the work. The contractor shall submit brand/ make of various materials to be used for the approval of Engineer-In-Charge along with samples.
- 1.64 **All material shall be brought as per programme finalized with the Engineer-In-Charge. Any pre delivery of the material, not required for immediate consumption shall not be accepted and thus not paid for.**
- 1.65 Samples including brand/quality of materials and fitting to be used in the work shall be got approved from the Engineer-In-Charge, well in advance of actual execution and shall be preserved till the completion of the work.
- 1.66 The rates for all items of work shall, unless clearly specified otherwise, include cost of all labor, material, tools, and plants and other inputs involved in the execution of the items and **nothing extra shall be payable on this account.**
- 1.67 The contractor shall quote all-inclusive rates against the items in the schedule of quantities and **nothing extra shall be payable for any of the conditions and specifications** mentioned in the tender document unless specially specified otherwise.
- 1.68 Unless otherwise specified in the schedule of quantities, the rates for all items, shall be considered as inclusive of pumping / bailing out water wherever necessary for which **no extra payment shall be made.**
- 1.69 The rate for all items, in which the use of cement is involved is inclusive of charges for curing.
- 1.70 The foundation trenches shall be kept free from water work below ground level are in progress.
- 1.71 The contractor shall indemnify the Govt. against any claims or obligation rising out of any damage to adjacent property, structure or to building work done by him.
- 1.72 In case service are encountered during excavation /earth work and such services are required to be shifted, the contractor is bound to carry out the shifting operation as per guidance/ instructions and with the approval of the Engineer-In-Charge. However, necessary payments shall be made in this regard as per provision of the agreement.
- 1.73 Many other agencies would be executing work simultaneously at site. The contractor shall maintain proper co-ordination with other agencies in maintaining progress of work. In case of any dispute, the decision of the Engineer-In-Charge shall be final and binding.
- 1.74 **LABOUR CESS @ 1% OF THE GROSS VALUE OF THE WORK DONE WIL BE DEDUCTED FROM EACH RUNNING & FINAL BIL AS PER GOVT. NOTIFICATION.**
- 1.75 **RECOVERY FOR WATER @ 1% OF THE GROSS VALUE OF WORK DONE SHALL BE MADE FROM THE BILL.**
- 1.76 **THE CONTRACTOR COMPLIES WITH THE INSTRUCTION CONTAINED TO DPCC OREDER FOLLOWS:-**
- (a) The dismantle material /building rubbish received from dismantling/demolishing shall be dumped to the dumping ground in properly covered truck with precaution.

- 1.77 The agency has to deposit 50% of paint material before the start of work at site calculated as per theoretical consumption calculated. The remaining material, which will be consumed as per theoretical consumption, shall be deposited by the contractor as directed by the Engineer-in-Charge
- 1.78 The Engineer-In-Charge for civil work shall be Executive Engineer (Civil) and for minor component i.e. Electrical work Shall be Executive Engineer (Electrical) All Work shall be carried out as per direction of respective engineer in charge and work completion shall be recorded after satisfactory work report duly signed by both Executive Engineers in CMB.
- 1.79 Execution of work will be done by contractor in coordination with Engineering Department and Chief Provost, Hostel. AIIMS Rishikesh. The building is occupied currently due to which the work shall be executed in a phased manner without affecting the residents. Since there is no other space available, the whole building will not be handed over to contractor in vacant state for the repair and maintenance. Planning of execution of work will be planned in most economical way.
- 1.80 Pre-Bid meeting will be held on the date as given in tender documents.
- 1.81 The vendor should see the building before submission of bid for this work.
- 1.82 If the contractor fails to execute the work in the phased manner then action will be taken against him as tender documents, CPWD manual-2022, GCC-2023 or full amount of PBG shall be forfeited.
- 1.83 Final bill of the contractor shall produce after proper testing and full satisfaction of Engineer in charge of work whole work including proper testing of pipe joints, tiles flooring etc.
- 1.84. The working area is predominantly female, so the work must be carried out according to the convenience of the students. The contractor must plan and prioritize the work according to the convenience of the students.
- 1.85 The Aadhaar card must be submitted to both the Engineering Office and the Security Office. Workers must obtain a gate entry pass, and a proper daily entry record must be maintained for workers entering the hostel premises.
- 1.86 Contractor shall submit the undertaking on stamp of Rs. 100 as mentioned in annexure-II and annexure-III of this NIT.
- 1.87 Contractor shall arrange and fix the separate sub meter before starting the work on his own expense. Bill of consumed electricity during the execution of work shall be paid in account branch of AIIMS Rishikesh.

1.87 **Pre Bid Meeting: -**

1. The pre bid conference would be held in the office of Executive Engineer(Civil), AIIMS, Rishikesh. All firm's representative who are attending the pre bid meeting, shall produce an authorization letter from their firm on the firm's letter head. They are required to put their query in writing before the committee and submit the same in writing on its letter head.
  2. The competent authority of AIIMS, Rishikesh reserves all rights to accept or reject any/ all tender(s) without assigning any reason. It can also impose/relax any administrative term and condition/specifications of the tender enquiry after due discussion in pre-bid conference. This will be communicated and shown over the website of the Institute. No representation will be considered after pre-bid meeting and bidders may ensure their queries only in pre-bid meeting. AIIMS, Rishikesh also reserves the right to reject any bid which in its' opinion is nonresponsive or violating any of the conditions/specifications without any liability to any loss whatsoever it may cause to the bidder in the process.
- 1.88. II.A five-year Guarantee Bond in the prescribed format (Annexure-I) shall be submitted by the lowest bidder. An additional 10% of the cost of items included in the repairing of sports play courts work shall be retained as a Security Deposit which shall be released after five years from the date of actual completion of the entire work under the agreement. The security Deposit shall be released if the performance of the courts shall be found satisfactory. If any defect is noticed during the guarantee period or in the defect liability period, the contractor shall rectify immediately within 15 days of receiving intimation of the defects at free

of cost. If the defects are not attended to within the specified period, the necessary repairs will be carried out by another agency at the risk and cost of the contractor.

- 1.89. The bidders must submit the sample of material to be used during the repairing of courts during the pre bid meeting.
- 1.90 Site shall be made available in phased manner.
- 1.91 Contractor must submit the material testing certificate from the NABL approved lab of doors. Thereafter payment of contractor will process.

## **2.0 CONDITION FOR CEMENT: -**

- 2.1 The Contractor shall procure 43 grade Ordinary Portland cement (conforming to IS : 8112) or Portland slag cement (conforming to IS : 455) or Portland Pozzolana Cement (PPC) (Fly ash based) – conforming to IS : 1489 (Part-I) as required in the work, from reputed manufactures of cement such as Ultratech, Vikram, Shree Cement, Ambuja, Jaypee Cement, Century Cement & J.K. Cement or from any other reputed cement Manufacturer having a production capacity not less than one million tons per annum.

**The tenderers may also submit a list of names of cement manufacturers which they propose to use in the work. The tender accepting authority reserves right to accept or reject name(s) of cement manufacture(s) which the contractor proposes to use in the work. No change in the tendered rates will be accepted if the tender accepting authority does not accept the list of cement manufactures, given by the tenderer, fully or partially.**

Supply of cement shall be taken in 50 Kg bags bearing manufacture's name, batch No. & ISI marking. Samples of cement arranged by the contractor shall be taken by the Engineer-in-charge and got issue in accordance with provisions of relevant BIS codes. In case test results indicate that the cement arranged by the Contractor does not conform to the relevant BIS codes, the same shall stand rejected and shall be removed from the site by the Contractor at his own cost within a week's time of written order from the Engineer-in-charge to do so.

If Portland Pozzolana cement or Portland slag cement is used, suitable modification in deshuttering time etc. shall be done if need be as per specifications and standards and as directed by Engineer – in – charge and nothing extra shall be payable on this account.

No extra payment / deduction shall be made from the payment to the contractor for using any of the above type of cement.

- 2.2 The cement shall be brought at site in bulk supply of approximately 50 tonnes or as decided by the Engineer - in - charge.
- 2.3 For each grade / type, cement bags shall be stored in two separate godowns, one for tested cement and the other for fresh cement (under testing) constructed by the contractor at site of work as per sketch shown in General conditions of contract for CPWD works 2020 with weather proof roofs and walls, for which no extra payment shall be made. The size of the cement godown is indicated in the sketch for guidance only. The actual size of godown shall be as per site requirements and as per the direction of the Engineer in charge and nothing extra shall be paid for the same. The decision of the Engineer-in-charge regarding the capacity required/needed will be final. However, the capacity of each godown shall not be less than 100 tonnes. Each godown shall be provided with a single door with two locks. The keys of one lock shall remain with CPWD Engineer-in-charge or his authorized representative and that of other lock with the contractor at the site of work so that the cement is issued from godown according to the daily requirement with the knowledge of both the parties. The account of daily receipt and issue of cement shall be maintained in a register in the prescribed Proforma and signed daily by the contractor or his authorized agent in token of its correctness.
- 2.4 The cement shall be got tested by Engineer –in –charge and shall be used on the work only after satisfactory test results have been received. The contractor shall supply free of charge the cement required for testing including its transportation cost to testing laboratories. The cost of tests shall be borne by the contractor / Department in the manner indicated below: -
  - (a) By the contractor, if the results show that the cement does not conform to relevant BIS codes.
  - (b) By the Department, if the results show that the cement conforms to relevant BIS codes.

2.4.1 All other charges of sampling, packing and transportation of sample shall also be borne by the contractors.

2.5 The actual issue and consumption of cement on work shall be regulated and proper accounts maintained separately for each type of cement, as provided in clause 10 of the contract. The theoretical consumption of cement shall be worked out as per procedure prescribed in Clause 42 of the contract and shall be governed by conditions laid therein. However, for consumption lesser beyond permissible theoretical variation recovery shall be made in accordance with conditions of contract at Schedule A to F (CPWD-7), without prejudice to action for acceptance of work/item at reduced rate or rejection as the case may be. In case of excess consumption, no adjustment shall be made.

(i) Cement brought to site and cement remaining unused after completion of work shall not be removed from site without return permission of the Engineer-in-charge.

(ii) Damaged cement shall be removed from the site immediately by the contractor on receipt of notice in written. In case if he does not do within three days or receipt of same notice, the Engineer-in-charge shall get removed at the site of the contractor.

**2.6 Cement brought to site and cement remaining unused after completion of work shall not be removed from site without written permission of the Engineer-in-charge.**

### **3.0 CONDITIONS FOR REINFORCEMENT STEEL: -**

3.1 The contractor shall procure TMT bars of ~~Fe 415 / Fe 415D / Fe 500 / Fe 500D / Fe 550 / Fe 550D~~ grade from primary producers such as SAIL, Tata Steel Ltd., RINL, Jindal Steel & Power Ltd. and JSW Steel Ltd. or any other producer as approved by CPWD who are using iron ore as the basic raw material / input and having crude steel capacity of 2.0 Million tonnes per annum and above.

In case of non-availability of steel from primary producers, use of TMT reinforcement bars procured from secondary producers will be allowed subject to fulfillment of following conditions:

a. The grade of the steel such as ~~Fe 415 / Fe 415D / Fe 500 / Fe 500D / Fe 550 / Fe 550D~~ or other grade to be procured is to be specified as per BIS: 1786 - 2008.

b. The secondary producers must have valid BIS license to produce HSD bars conforming to IS 1786: 2008. In addition to BIS license, the secondary producer must have valid license from either of the firms Tempcore, Thermex, Evcon Turbo & Turbo Quench to produce TMT Bars.

c. The TMT bars procured from primary producers and ISPs shall conform to manufacture's specifications.

d. The TMT bars procured from secondary producers shall conform to the specifications as laid down by Tempcore, Thermex, Evcon, Turbo and Turboquench as the case may be.

e. TMT bars procured either from primary producers or secondary producers, the specifications shall meet the provisions of IS 1786: 2008 pertaining to ~~Fe 415 / Fe 415D / Fe 500 / Fe 500D / Fe 550 / Fe 550D~~ or other grade of steel as specified in the tender.

3.2 Samples shall also be taken and got tested by the Engineer-in-Charge as per the provisions in this regard in relevant BIS codes. In case the test results indicate that the steel arranged by the contractor does not conform to the specifications as defined under para (c) & (d) above, the same shall stand rejected, and it shall be removed from the site of work by the contractor at his cost within a week time or written orders from the Engineer-in-Charge to do so.

In case contractor is permitted to use TMT reinforcement bars procured from secondary producers then:

(i) The base price of TMT reinforcement bars as stipulated under schedule 'F' shall be reduced by Rs. 6700/- MT. However, for operation of provisions of clause 10CA in such case, the indices for TMT reinforcement bars of secondary producers will be considered same as for primary producers.

(ii) The rate of providing & laying TMT reinforcement bars as quoted by the contractor in the tender shall also be reduced by Rs. 8.00 per kg.

- 3.3 The steel reinforcement bars shall be brought at site in bulk supply of 25 tonnes or more as decided by the Engineer in charge.
- 3.4 The steel reinforcement bars shall be stored by the contractor at site of work in such a way as to prevent distortion and corrosion and nothing extra shall be paid on this account. Bars of different sizes and lengths shall be stored separately to facilitate easy counting and checking.
- 3.5 For checking nominal mass tensile strength bend test re-bend test etc. specimen of sufficient length shall be cut from each size of the bar at random at frequency not less than that specified below:

| Dia of bar    | For consignment below 100tonnes               | For consignment above 100tonnes              |
|---------------|---|--|
| Under 10 mm   | One sample for each 25 tonnes or part thereof | One sample for each 40tonnes or part thereof |
| 10 mm to 16mm | One sample for each 35 tonnes or part thereof | One sample for each 45tonnes or part thereof |
| Over 16mm     | One sample for each 45 tonnes or part thereof | One sample for each 50tonnes or part thereof |

- 3.6 The contractor shall supply free of charge the steel required for testing including its transportation to testing laboratories. The cost of tests shall be borne by the contractor.
- 3.7 All other charges of sampling, packing and transportation of sample shall also be borne by the Contractor.
- 3.8 The actual issue and consumption of steel on work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of steel shall be worked out as per procedure prescribed in clause 42 of the contract and shall be governed by conditions laid therein. In case the consumption is less than theoretical consumption including permissible variations, recovery at the rate so prescribed shall be made. In case of excess consumption no adjustment need to be made.
- 3.9 Steel brought to site and remaining unused shall not be removed from site without the written permission of Engineer-in-Charge.
- 3.9(i) Reinforcement including authorized spacer bars and lap pages shall be measured in length for different diameters as actually (not more than as specified in the drawings) used in the work nearest to a centimeter. Wastage and unauthorized overlaps shall not be measured.
- (ii) The standard sectional weights referred to shall be as in Table 5.4 in para 5.3.4 in revised CPWD specifications 2009 Vol. I will be considered for conversion of length of various sizes of TMT bars in to standard weight.

(iii) Record of actual sectional weights shall also be kept dia wise and lot wise. The average sectional weight for each diameter shall be arrived at from samples from each lot of steel received at site. The decision of the Engineer in charge shall be final for the procedure to be followed for determining the average sectional weight of each lot. Quantity of each diameter of steel received at site of work each day will constitute one single lot for the purpose. The weight of steel by

conversion of length of various sizes of bars based on the actual weighted average sectional weight shall be termed as Derived Actual Weight.

(a) If the derived weight as in sub-para (iii) above is less than the standard weight as in sub-para (ii) above, then the Derived Actual Weight shall be taken for payment.

(b) If the derived actual weight is found more than the standard weight, than standard weight as worked out in sub para (ii) above shall be taken for payment. Nothing shall be paid extra for the difference in Derived/ Actual Weight and standard weight.

The contractor has to obtain vouchers and furnish test certificate to the Engineer-in-charge in respect of all the lots of Steel brought by him from approved suppliers at the site of work.

3.10 Every care should be taken to avoid mixing different types of grades of bars in the same structural members as main reinforcement to satisfy relevant clause of IS: 456. In case of buildings, wherever the situation necessitates, the changeover shall be permitted only from any one level onwards. In case of foundations, all foundation elements (footings and grade beams) shall have the same kind of steel. In the case of columns, all structural elements up to the level of change, where the changeover is taking place should have the same kind of steel as those in columns.

3.11 The reinforcing steel brought to site of work shall be stored on brick / timber platform of 30 / 40 - cm height, nothing extra shall be paid on this account.

#### **4.0 SAFETY MEASURES AT CONSTRUCTION SITE**

In order to ensure safe construction, following shall be adhered for strict compliance at the site: -

- (i) The work site shall be properly barricaded.
- (ii) Adequate signage's indicating 'Work in Progress – Inconvenience caused is Regretted' or Diversion Signs shall be put on the sites conspicuously visible to the public even during night hours. These are extremely essential where works are carried out at public places in use by the public.
- (iii) The construction malba at site shall be regularly removed on daily basis.
- (iv) All field officials and the workers must be provided with safety helmets, safety shoes and safety belts.
- (v) Proper MS pipe scaffoldings with work – platforms and easy-access ladders shall be provided at site to avoid accidents.

Necessary First-Aid kit shall be available at the site.

The above provisions shall be followed in addition to the provisions of General Condition of Contract.

**5.0 SPECIFICATIONS FOR FLY ASH BRICKS** - All fly ash bricks as brought to the site shall conform to the strength & durability parameters as prescribed in the tender and CPWD specifications.

**6.0 The contractor shall submit 'Method Statement' for the approval soon after the award of work.** 'Method Statement' is a statement by which the construction procedures for important activities of construction are stated, checked and approved. Method Statement shall have description of the item with elaborate procedures in steps to implement the same. The specification of the materials involved their testing and acceptance criteria, equipments to be used, precautions to be taken, mode of measurements etc.

**6.1 Formwork for exposed concrete surfaces: -**

6.1.1 Where it is specifically shown on the drawings to have original fair face finish of concrete surface without any rendering of plastering, formwork shall be carried put by using plywood on steel plates of approved quality.

6.1.2 The forms shall be constructed so as to produce a uniform and consistent texture and pattern on the face of the concrete. The formwork shall be placed so that all horizontals are constructed of lumber and are not paneled and the formwork joints shall be staggered.

6.1.3 To achieve a finish which shall be free of board marks, the formwork shall be faced with plywood or equivalent material in large sheets. The sheets shall be arranged in an approved pattern. Whenever possible, joints between sheets shall be arranged to coincide with architectural feature, sills, window heads or change in direction of surface. All joints between panels shall be vertical or horizontal unless otherwise directed. Suitable joints shall be approved between sheets. The joints shall be arranged and fitted so that no blemish or mark is imparted to the finished surfaces.

6.1.4 Forms for exposed concrete surfaces shall be constructed with grade strips (the underside of which indicate top of pour) at horizontal constructions joints, unless the use of groove strips is specified on the drawings. The reset forms shall be tightened against the concrete so that the forms will not be spread and permit abrupt irregularities or loss of mortar. Supplementary form ties shall be used as necessary to hold the reset forms tight against the concrete.

6.1.5 For fair faced concrete, the position of through bolts will be restricted and generally as indicated on the drawings.

6.1.6 Plywood and steel plates used in the formwork for obtaining exposed surfaces shall be got approved from Engineer-in-charge on each use. However, no forms will be allowed for reuse if it is doubtful to produce desired texture of exposed concrete.

6.1.7 Cement of only approved shade shall be used preferably of single lot to achieve integrity of texture.

## **6.2 Class of Surface Finish: -**

### **6.2.1 For Beams & Slabs:**

The finish shall be uniform, dense and smooth. no grout, no grain pattern, no crazing and no major blemishes shall be permitted. Abrupt irregularities not exceeding 3mm and gradual irregularities less than 5mm in 2m length only shall be permitted.

### **6.2.2 For Columns/Wall/Fins:**

The finish shall be uniform and smooth leveling the surface of the compacted concrete shall be done with a screed board with power floating the surface and over that steel trowelling the surface under firm pressure characteristics of finish shall be brush marks < 3mm gradual irregularities less than 10mm in 2m.

## **6.3 Tolerance in Finished Concrete: -**

The formwork shall be so made as to produce a finished concrete true to shape, lines, level, plumb and dimensions as shown in the drawings subject to the following tolerance unless otherwise specified in this specification or drawings.

## **6.4 WALL/COLUMN/FINS:**

21.4.1 Variation from the plumb  $\pm 6\text{mm}$  Upto 3m height

21.4.2 Variation from the plumb of conspicuous liner  $\pm 6\text{mm}$  Upto 6m height

21.4.3 Variation in the size of wall openings (+)15mm  
(-) 6mm

21.4.4 Variation in parapet wall thickness

(a) Upto 30cm thickness  $\pm 6\text{mm}$

## **6.5 SLAB, BEAM & GIRDER FORMS:**

21.5.1 Variation from the level or from the specified grid for beam soffit before removal of shores,

(a) In any 3m  $\pm 6\text{mm}$

(b) In any 6m  $\pm 10\text{mm}$

All the tolerances mentioned above shall apply to concrete dimensions only, and not to positioning of vertical steel or dowels. The tolerances given above are specified for local aberration in the finished concrete surface and should not be taken as tolerance for the entire structure taken as whole for the setting and alignment of formwork. Any error, within the above tolerance limits, or any other if noticed in any of the structure after part or portion stripping of forms, shall be corrected in the subsequent work to bring back the structure to its true line, level and alignment.

(SPECIMEN)

(Ref. para 3.3 of Particular Specifications and Special conditions)

GUARANTEE TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECT AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS

The Agreement made this .....day of .....two thousand and ..... between .....son of .....of .....(hereinafter called the Guarantor of the one part) and the Executive Director, AIIMS Rishikesh (hereinafter called Government of the other part).

WHEREAS this agreement is supplementary to a contract (hereinafter called the Contract) dated ..... and made between the GUARANTOR of the one part and the Government of the other part, whereby the Contractor, inter alia, undertook to render the buildings and structures in the said contract recited completely water and leak – proof and properly repaired.

AND WHEREAS GUARANTOR agreed to give a guarantee to the effect that the said structures will remain water and leak-proof for five years from the date of giving of water proofing treatment.

NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely leak-proof and the minimum life of such water proofing treatment shall be five years to be reckoned from the date after the maintenance period prescribed in the contract.

Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof/floor or alteration and for such purpose;

- (a) Misuse of roof/floor shall mean any operation which will damage water proofing treatment, like chopping of firewood and things of the same nature which might cause damage to the roof/floor.
(b) Alteration shall mean construction of an additional storey or a part of the roof/floor or construction adjoining to existing roof/floor whereby proofing treatment is removed in parts;
(c) The decision of the Engineer-in-charge with regard to cause of leakage shall be final.

During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the building water –proof/ courts properly repaired to the satisfaction of the Engineer-in-Charge at his cost, and shall commence the work for such rectification within fifteen days from the date of issue of the notice from the Engineer-in-Charge calling upon him to rectify the defects, failing which the work shall be got done by the Department by some other contractor at the GUARANTOR’S cost and risk. The decision of the Engineer-in-Charge as to the cost, payable by the Guarantor shall be final and binding.

That if GUARANTOR fails to execute the water proofing or commits breach thereunder then the GUARANTOR will indemnify the Principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and / or damage and / or cost incurred by the Government the decision of the Engineer – in – Charge will be final and binding on the parties.

IN WITNESS WHEREOF these presents have been executed by the Obligor ..... and by ..... and for and on behalf of the Executive Director, AIIMS Rishikesh on the day, month and year above written.

Signed, sealed and delivered by OBLIGOR in the presence of –

- 1. ....
2. ....

Signed for and on behalf of The Executive Director, AIIMS Rishikesh by .....in the presence of –

- 1. ....
2. ....

Rest of the terms and conditions will remain same as mentioned in NIT.

**(SPECIMEN)  
(Undertaking)**

Name of Work:- Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS  
Rishikesh.

NIT No. :- 02/EE/Civil/2026-27

I hereby agree to accept all the tender conditions. The rates quoted by me are inclusive of GST. I have provided the details of my firm below and declare that all the information is valid:

Name of firm and address: -

Firm type: -

Contact number:

Name of contact person: -

Email ID:

Authorized signature of contractor/Bidder with stamp -:

**Annexure – III**

(SPECIMEN)  
(Undertaking)

Name of Work:- Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS  
Rishikesh

NIT No. :- 02/EE/Civil/2026-27

I, ....., have visited and thoroughly inspected the site in detail. I hereby agree to carry out the work in a phased manner as required, ensuring minimal disruption to ongoing activities.

Name of firm and address: -

Firm type: -

Contact number:

Name of contact person: -

Email ID:

Authorized signature of contractor/Bidder with stamp :-

## Annexure-IV

Name of Work:- Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS  
Rishikesh

NIT No. :- 02/EE/Civil/2026-27

I/we certified that our firm

---

is not debarred/blacklist from any government department (Central/State) including autonomous bodies/department.

If it is found in future that the information given by me is not true then my bid is liable to be disqualified at any stage. And I will not claim any compensation and my PBG/Security deposit is liable to be forfeited and I may be debarred/blacklisted for some period or forever as decided by the competent authority. I will be solely responsible for such type of action.

Name of firm and address: -

Firm type: -

Contact number:

Name of contact person: -

Email ID:-

Authorized signature of contractor/Bidder with stamp:-

FORM -X

CONSENT LETTER FROM ELIGIBLE ASSOCIATE SPECIALIZED AGENCIES

Name of work: **Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS Rishikesh**

1. I / We hereby give my consent to associate with M/s....., for executing the of work of..... (Mention specialized work(s)).
2. I / We will execute the work as per specifications and conditions of the agreement and as per directions of the Engineer-in-Charge for the corresponding specialized work(s) till the completion of the work.
3. I / We will be responsible for necessary action to handover the installations and for rectification of defects and repair during the maintenance / warranty period.
4. Also I / We will employ full time technically qualified Engineer / supervisor for the specialized work(s) component of the work as required for the work. I / We will attend inspection of officers of the department as and when required.

Date:

Signature with date of Main Agency/Contractor

Signature with date of Associate Specialized Agencies/

Address:

Address:

1. Witness with address (From main contractor side)

2. Witness with address (From associated agency side)

**FORM-Y**  
**MEMORANDUM OF UNDERSTANDING [M.O.U] BETWEEN**

1] M/S [Name of the firm with full address]

Enlistment Status

Valid Upto:

(Henceforth called the main

contractor] And

2 ] M/S [Name of the firm with full address]

Enlistment Status

Valid Upto:

[Henceforth, called Associated Specialized Agency )

For the execution of Work “**Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS**

**Rishikesh**

We state that M.O.U between us will be treated as an agreement and has legality as per Indian Contract Act [amended upto date) and the department [AIIMS, Rishikesh] can enforce all the terms and conditions of the agreement for execution of the above work. Both of us shall be responsible for the execution of work as per the agreement to the extent this MoU allows. Both the parties shall be paid consequent to the execution as per agreement to the extent this MoU permits. In case of any dispute, either of us will go for mediation by the EE(E)-II/EE(C)-III & EE(C)-IV, AIIMS, Rishikesh. Any of us may appeal against the mediation to the **Superintending Engineer, AIIMS**, Rishikesh. His decision shall be final and binding on both of us.

We have agreed as under:

- 1] The associated Specialized Agencies will execute all specialized work(s) in the wholesome manner as per terms and conditions of the agreement and as per the direction of the Engineer-in-charge
- 2] That the Associated Specialized Agencies have gone through the contract and has understood the scope of work required for the purpose of executing the specialized work(s).
- 3] All the machinery and equipment, tools and plants, special T&P required for execution of the specialized work(s), as per agreement, shall be the responsibility of the associated Specialized Agencies
- 4] The site staff required for the specialized work(s) shall be arranged by the associated Specialized Agencies as per terms and conditions of the agreement.
- 5] Site order book maintained for the said work shall be signed by the authorized representative of main contractor as well as Associated Specialized Agencies.
- 6] All the correspondence regarding execution of the specialized work(s) shall be done by the Department with the Associated Specialized Agencies and/or main contractor with a copy to the other party. In case of non-compliance of the provisions of agreement, the main contractor, as well as the associated agency shall be responsible. The action under clauses 2 and 3 shall be initiated and taken against the main contractor.

SIGNATURE OF MAIN CONTRACTOR

Date

Place

SIGNATURE OF ASSOCIATED  
CONTRACTOR./AGENCY

Date

Place:

**FORM-Z**

**PROPOSAL FOR ELIGIBLE ASSOCIATING AGENCIES FOR SPECIALIZED WORK(S)**

I/we hereby propose the following agencies to be associated as per mentioned against each for executing corresponding specialized work(s). Their consent letter are also attached as per FORM-X

| S.No                              | Name of Associated Specialized Agency | Registration /Enlistment copy/completion Certificates attached | Gross Work Done of Specialized work | Experience Certificate attached (Yes/No) | Consent letter attached (Yes/No) |
|-----------------------------------|---------------------------------------|--|-------------------------------------|--|----------------------------------|
| Sub -Work 1: For Electrical works |                                       |  |                                     |  |                                  |
|                                   |                                       |  |                                     |  |                                  |
|                                   |                                       |  |                                     |  |                                  |
|                                   |                                       |  |                                     |  |                                  |

Etc.

***SIGNATURE OF MAIN CONTRACTOR***

## LIST OF APPROVED MATERIALS (CIVIL)

Note :

1. Unless otherwise specified, the brand/make of the material as specified in the item nomenclature or in the particular specifications or in the list of approved materials attached in the tender, shall be used in the work.
2. The Contractor shall obtain prior approval from the Engineer-in-charge before placing order for any specific material/ Brand/ Make.
3. Whenever the specified brand of material is not available than, the Engineer-in-charge may approve any material equivalent to that specified subject to proof being offered by the Contractor for its equivalence and its non-availability to his satisfaction.

|    | <b>MATERIALS:</b>   | <b>BRAND/MAKE</b>   |
|----|---|---|
| 1  | AAC Block   | Aerocon, Siporex, Ultratech, Ecolite, Concrelite, J.K. Laxmi (Cement Ltd.), BILTECH, Kansal, Dlite Blocks         |
| 2  | AAC Block Adhesive  | Ferrous crete(Ferro-1188), ARDEX ENDURA (White Star), Ultratech (Fixed-Block)                                     |
| 3  | Acrylic Distemper, Emulsion, Synthetic Enamel Paint and Primer.               | Asian Paints, ICI Dulux, Berger, Nerolac  |
| 4  | Epoxy Adhesive  | FOSROC, Aquomix , Choksey, BAL-ENDURA,MYK Laticrete   |
| 5  | Aluminium Composite Panel   | Alpolic, Aluco Bond, Reynobond, Euro bond, Alstrong   |
| 6  | Aluminium Extrusions  | Hindalco, Indalco, Jindal   |
| 7  | Aluminum Sections   | Jindal, Hindalco, Indalco   |
| 8  | Annealed Float Glass  | Saint Gobain, Modi Guard, Asahi   |
| 9  | Bitumen   | Indian Oil, Hindustan Petroleum, Bharat Petroleum   |
| 10 | Calcium Silicate Board / Tiles  | Aerolite, Hilux, Starpan  |
| 11 | CC Pavers / Grass Pavers  | Nitco, Hindustan, Ultra, KJS Concrete, Duracrete, Mehtab Tiles, Kaptim  |
| 12 | Centrifugally Cast Iron Pipe & Fittings                                       | NECO, SKF, BIC, RIF, KAPILANSH, HIF   |
| 13 | Ceramic Tiles   | Kajaria, Nitco, Orient Bell, Johnson, RAK Ceramics  |
| 14 | Chequered / Tactile Tiles   | Dura, Eurocon, Modern, Hindistan, Johnson, Eavison  |
| 15 | CI Manhole Cover  | BIC, SKF, NICO, Hepco, Kapilansh, RIF   |
| 16 | CI Double flanged non-return valves   | Kirloskar, Sant, Kartar   |
| 17 | CP fittings   | Jaquar, Marc, Kohler, Grohe   |
| 18 | CPVC Pipes & Fittings   | Astral Flowguard, Ashirvad, Prince, Supreme, Finolex, VECTUS  |
| 19 | Curtain Carrier / Drapery Rod   | Marvel, Vista levlor, Johnson.  |
| 20 | Dash fastener, Expansion Bolt   | Hilti, Bosch Fischer  |
| 21 | Hydraulic Door closer, Floor springs  | Dorma, Hettich, Hafele, Geze, dorset  |
| 22 | Ductile Iron Pipe (Water Supply)  | Electro steel, Kesso, KDUPL, Electro Spun   |
| 23 | EPDM Gasket   | Hanu, Anand, Lescuyer   |
| 24 | GRC / Tactile Tile  | Unistone, Eurocon, Dazzle   |
| 25 | Epoxy Grouting Compound   | Pidilite, Ferrous Crete(Ferro-102), MYK LATICRETE, Fosrock  |
| 26 | Epoxy Primer & Paints   | Berger, Pidilite, CICO, BASF, SIKA, Fosrock   |
| 27 | Fire Check door   | Navair, Godrej, Shakti  |
| 28 | Float Glass Mirror  | Modifloat, Saint Gobain, Asahi  |
| 29 | Flush Doors (ISI Mark only)   | Century, Kitlam, Archid, Greenply, Marino, Duro, Gujcon   |
| 30 | Friction Stay   | Earl-Bihari, Geze, Hettich, Securistyle   |
| 31 | Galvanized/Stainless Steel Anchor Fasteners                                   | Shakti, Arrow, Hilti, Fischer   |
| 32 | GI Pipe & fittings  | Tata, Zenith, Jindal, Prakash Surya, Swastik; (ISI Marked only)   |
| 33 | GI Sheet  | Sail, TATA, Jindal or equivalent  |
| 34 | Gun Metal Gate Valve  | Zoloto, Leader, SANT, Prima   |
| 35 | Glass Mosaic Tile   | Bisazza, Italia, Palladio, Mridul   |
| 36 | Gypsum Board (False Ceiling)  | Boral Gypsum, India Gypsum, St. Gobain  |
| 37 | Hardener  | Hardcrete of Snowcem India, Pidilite, CICO.   |
| 38 | HDPE Pipes  | VECTUS, Emco, Polyfins, Pioneer, Plyfab   |
| 39 | Jet Assembly for EWC/Health Faucet  | Parryware , Jaquar, Marc, PRIMA(ISI)  |
| 40 | Kitchen loft tank   | Sintex, Tirupati Structurals Ltd, KMS Plast world P.Ltd. Planet Plastics, Sri Kamakshi Traders, Sreyah Novel InC. |
| 41 | Laminate and Veneers  | Merino, Greenlam, Kitlam, Duro  |
| 42 | Locks / Latch   | Godrej, Harrison, Dorma, Doorset (ISI)  |
| 43 | Marine Plywood / BWP Ply  | Duro, Century, Greenlam   |
| 44 | Melamine Polish   | Asian Paints, Pidilite, ICI Dulux, Burger   |
| 45 | Metal False Ceiling   | Nitobond, Armstrong, Trac, Durlum, Lafarge, Anutone   |
| 46 | Mineral Fibre/ GRG Ceiling/Calcium silicate false ceiling/metal false ceiling | Armstrong, Daiken, Anutone, Diamond, Credence, Aerolite, Gyproc, Everest, Bollard, Hi-Steel                       |
| 47 | M.S. Pipe (Railing)   | Jindal, Tata, RINL, Prakash Surya   |
| 48 | M.S. Tubes  | Tata, Apolo, Prakash Surya  |
| 49 | Multicoat Synthetic Plaster/ Textured Exterior wall paint                     | Spectrum, Heritage, Ultratech   |
| 50 | Plywood, Block Board  | Greenply, Century, Duro   |
| 51 | Polycarbonate Sheet   | Danpalon (DPI), Bayer, Macrolux, Tilara, Indonite   |
| 52 | Polysulphide / Silicon Sealant  | Pidilite, Fosroc, Tuffseal, Chouksey Chemicals, Perma, BASF   |
| 53 | POP (Plaster of paris)  | JK, Laxmi, Sriram Nirman, Sakarni   |
| 54 | PPR Pipes   | SFMC, SAFE, Poiner Industries   |

|     |   |  |
|-----|---|--|
| 55  | Precast CC interlocking Tiles   | Hindustan, Paver India, KK   |
| 56  | Precoatd Profile Sheet  | Tata, Bhushan or equivalent  |
| 57  | Pre-laminated Particle Board  | Ecoboard, Action-Tesa, Duro, Century Ply, Greenlam, Albihari   |
| 58  | Pressed steel door frame  | M/s Engineers & Fabricator, Raipur, M/s J.K. Enterprises, Jaipur, M/s Jangid Engineering Works, Jaipur, M/s Swastik Super Industries, Mohali, M/s SKS Steel Industries, New Delhi. |
| 59  | PTMT Fittings   | Prayag, Polytuf, Pearl, Millennium, PRIMA  |
| 60  | PVC Cistern   | Steelbird, Jindal, Seabird, Prayag, Commander  |
| 61  | PVC Connection Pipe   | Supreme, Prince, Finolex   |
| 62  | PVC Rain Water Pipe & Fitting   | Finolax, Kisan, Kasta, Supreme, Astral, Prince   |
| 63  | Ready Mix Concrete (RMC)  | Lafarge, Alchon, L&T, Grasim, Ultratech, RMC India   |
| 64  | Ready Mix plaster   | Ultratech, Precisecon Chem, Perma, Ferrous Crete, JK, Fosrock,   |
| 65  | PVC Shutter   | Polygreen, Rajshri, Plastogreen, Sintex  |
| 66  | PVC Water storage Tank (Only ISI)   | VECTUS, Water well, Plasto, Polycon, Sintex. (Weight as per ISI)   |
| 67  | Sluice Valve  | Kirloskar, Venus, Kalpana, SANT, KARTAR, Zolto   |
| 68  | Solid PVC frames and shutters   | Polygreen, Rajshri, Plastogreen, Sintex  |
| 69  | Stainless Steel   | Jindal, Salem or equivalent  |
| 70  | Stainless steel Sink with or without Draining board.  | Nirali, Hindware, Frankee, Neelkanth, Jaquar   |
| 71  | Stainless steel Door/Window fittings & Fixtures   | Dorma, Ozone, D-Line, Hettich, Kich, Geze  |
| 72  | Structural steel section  | TATA, SAIL, RINL, Jindal   |
| 73  | Super plasticizer / admixture   | Sika, Fosroc, Chouksey Chemicals, BASF   |
| 74  | Tensile Fabric  | Bluestone, Encon, Structure Flex   |
| 75  | Tile Adhesive   | Ferrous Crete(Ferro-1122), Ardex Endura (Gold Star), PIDILITE (Fevimate XL), WEABR(Saint-Gobin) Sika, Thermoshield, Somany   |
| 76  | Towel Ring/Towel Rod/Towel Rack   | Marc, Jaquar, Kolher, Grohe  |
| 77  | Tubular steel Window, ventilator, Door frame  | M/s Engineers & Fabricator, Raipur, M/s J.K. Enterprises, Jaipur, M/s Swastik Super Industries, Mohali (Punjab) M/s Jangid Engg. Jaipur  |
| 78  | UPVC Pipes & Fittings   | Astral Flowguard, Ashirvad, Prince, Supreme, Finolex, VECTUS   |
| 79  | Urinal, Washbasin, Orrisa Pattern W.C., Wall mounted European W.C.Seat with Cistern                   | Hindware, Parryware, Jaquar, Cera, Kolher, Grohe   |
| 80  | Vitrified Tile  | Johnson -Marbonite, Somany, Kajaria, Orient Bell, NITCO, RAK   |
| 81  | Wall Putty  | JK, BIRLA, SARAPUTTY   |
| 82  | Waste Pipe  | Kamal, Viking, Jaquar  |
| 83  | Water Proofing Compound (Liquid)  | Pidilite, Cico, Impermo  |
| 84  | White Cement  | JK White, Birla White, Grasim  |
| 85  | Single Core Standard ISI marked FRLS PVC insulated copper conductor wire                              | Polycab/Finolex/Havells/Skytone  |
| 86  | Turf flooring   | Deco Turf USA ( ITF Approved)/Conica( ITF Approved)/ PFS Poland( ITF Approved)// Plexipave( ITF Approved)/ California USA( ITF Approved)   |
| 86  | Armored Copper/Aluminum Conductor Cable   | Polycab//Havells/Skytone   |
| 87  | Modular Switch, Socket, stepped fan regulator, Tv antenna socket, RJ 45,Tiny Trip MCB and accessories | Carbtree (anthena)/Legrand (Mylinc)/North west (Stylus plus + Convex)  |
| 88  | Steel/PVC Conduit   | NIC/BEC/AKG with ISI marked  |
| 89  | Telephone/CAT-6 LAN cables  | Delton/Finolex/Havells/Skytone/polycab/D-link  |
| 90  | MCB/MCB DB Isolator/RCCB/Industrial Plug Socket and Box   | ABB/Legrand/Schenieder (rupturing capacity not less than 10 KA) (MCB & DB shall be of same make)   |
| 91  | MCCB  | ABB/Siemens/Legrand/schenieder (Ics=Icu) (fourth pole shall be 100% current rated)   |
| 92  | Ceiling Fan (BLDC)  | Atomberg(Gorilla)/Orient (Falcon/Hector)/Havells (Efficiencia)/Crompton (Energion)   |
| 93  | Exhaust Fan Heavy Duty  | Bajaj/Crompton/Almonard/Havells  |
| 94  | Exhaust Fan PVC Body  | Bajaj/Crompton/Almonard/Havells  |
| 95  | Heavy Duty Wall Fan(450mm)  | Crompton(SSstrom2)/Havells(V3)/Orient(Tornado)   |
| 96  | Wall Fan (300/400mm)  | Crompton/Havells/Orient  |
| 97  | MCCB/ Changeover; FP/TP/SP Load Bank Panel  | Make as per installed  |
| 98  | PVC Cable Management system   | MK/Legrand   |
| 99  | (34-42) watt 2 FT X 2 FT LED Recess/SurfaceLuminaires   | Crompton (LCTLRNE-36-FO-CDL/LCTLSNE-36-FO-CDL) or equivalent make of Phillips/Havells/Wipro  |
| 100 | 20-22 Watt LED Batten Luminaries.   | Wipro/Philips/ Havells/ Crompton.  |
| 101 | 24 Watt 1x1 feet LED fitting  | Wipro (D812465) or equivalent make of Crompton/Phillips/Havells.   |
| 102 | 3//6/9/12/15/18 Watt LED Downlighter  | Crompton/Havells/Wipro/Philips/Bajaj   |
| 103 | LED Emergency Light   | PMI/PWI  |
| 104 | 15/25/35/50/70 Ltrs Geysers   | Havells (Monza EC) / Crompton/ Reacold/ Venus/ BAJAJ   |
| 105 | 48" /36"/24" Ceiling fan  | Crompton/Havells/Bajaj   |
| 106 | LED Floodlight(90/100/120/135/150Watt)  | Crompton/Havells/Bajaj   |

|     |   |   |
|-----|---|---|
| 107 | On load Changeover Switch   | HPL/ Havells/L&T  |
| 108 | SMF Battery(7/12/17/18/26 AH)   | Amar Raja/ Exide  |
| 109 | Lead Acid Battery (180 AH)  | Amar Raja Exide   |
| 110 | Geyser Heating Element  | Theeta/Ditz/TTE/Power Pack  |
| 111 | Geyser Thermostat   | Theeta/Ditz/Dimple/Elcon/AE   |
| 112 | Condenser   | Epcos/Tibcon  |
| 113 | Supply and installation of Double skin powder coated GI Door of shutter thickness 46mm as per IS 3614-2016/2021. shutter sheet thickness 1.2mm rockwool infill with 30 min insulation, Frame thickness 1.2mm Single rebate 143x58mm RAL Finish, Ball bearing butt hinges with metal screws Size: 4" x 3" x 3mm Grade SS 304 - Finish SSS., Door lock,D Handle 250x19mm, Door Closer DC 80 FR,Kick Plate 1000x300mm, 2hr fire rated glass with tape, Fire Seal, Anchor Fasteners of size M10x100mm.-or other fixture complete of approved make as per instruction of engineer in charge. | Tata pravesh/Ahlada/Bhawani fire/Navair   |
| 114 | Lab Furniture   | Godrej/Steel case/Haworth/ Herman miller/ Featherlite/ nilkamal/ Wipro// Pyrotech/ Rockworth/Geeken |
| 115 | UPVC Door   | fenesta, koemmerling, prominence, simta astrix, duroplast.  |
| 116 | Vinyl flooring  | Armstrong, Gerffloor, Tarkett   |
| 117 | Variable Frequency Drive  | ABB / Siemens / Fuji / Danfoss  |
| 118 | AHU/ TFA  | Citizen / Zeco / VTS / Flaktwood / Systemair / Edgetech   |
| 119 | Plug Fan  | Nicotra Gebhardt / Kruger/ Ziehl-abegg / Greenheck / Flaktwood                                      |
| 120 | Motor (IE-3) for AHU Fan  | ABB / Siemens / Crompton  |
| 121 | Filters   | Thermadyne / Freudenberg / Camfil Farr / AAF  |
| 122 | VRV /VRF System   | DAIKIN / CARRIER/ TOSHIBA/ MITSUBISHI / HITACHI / OGENERAL  |
| 123 | Refrigerant Copper Piping   | Maxflo / Rajko / Modern   |
| 124 | GSS/GI Sheet  | SAIL / Jindal / TATA  |
| 125 | Grilles / dampers / diffusers / Louvers / VCD / Fire damper / Motorised Damper  | Ruskin/ Caryaire / Systemair / Cynore / Dynamic Equipments / Airflow / Pineair                      |
| 126 | Fire Damper Actuator  | Belimo / Siemens / Honeywell  |
| 127 | Nitrile Insulation  | Armacell / Aeroflex / K-flex / Supreme  |
| 128 | Magnehelic gauge  | Dwyer or equivalent   |
| 129 | Duct Heater   | Daspass / KEPL / Equivalent   |
| 130 | Electrical Panels / Switch gears / Switch Socket / DB   | L&T/ ABB/ Schneider/ Siemens/ Legrand/ Equivalent.  |
| 131 | Current Transformer   | AE/Pragati/Gilbert & Maxwell/Matrix/Rishabh/Kappa   |
| 132 | Electronic Digital Meter  | Enercon System Pvt. Ltd. / CG Schlumberger / L&T / Rishabh  |
| 133 | Power/Aux. Contactor  | Schneider / L&T / Siemens / ABB / Legrand   |
| 134 | Change Over Switch  | Schneider / L&T / Siemens / ABB / Legrand   |
| 135 | Meters including Digital Meters   | L&T/ Socomec/ Schneider/ Secure/ Siemens/Schneider/ ABB / Rishabh                                   |
| 136 | Protection Relay  | Areva/Siemens/L&T/Schneider   |
| 137 | Indication lamp and push button   | GE/L&T/Siemens/Schneider  |
| 138 | Selector Switch   | Siemens/ L&T/ Schneider/ABB   |
| 139 | Single Phase Preventor  | L&T/Minilec/Schneider/ABB   |
| 140 | Single Core Standard ISI marked FRLS PVC insulated copper conductor wire  | Polycab/Finolex/Havells/Skytone   |
| 141 | Armored Copper/Aluminum Conductor Cable   | Polycab//Havells/Skytone  |
| 142 | Modular Switch, Socket, stepped fan regulator, Tv antenna socket, RJ 45,Tiny Trip MCB and accessories   | Carbtree (athena)/Legrand (Myline)/North west (Stylus plus + Convex)                                |
| 143 | Steel/PVC Conduit   | NIC/BEC/AKG with ISI marked   |
| 144 | Telephone/CAT-6 LAN cables  | Delton/Finolex/Havells/Skytone/polycab/D-link   |
| 145 | MCB/MCB DB Isolator/RCCB/Industrial Plug Socket and Box   | ABB/Legrand/Schenieder (rupturing capacity not less than 10 KA) (MCB & DB shall be of same make)    |
| 146 | MCCB  | ABB/Siemens/Legrand/schenieder (Ics=Icu) (fourth pole shall be 100% current rated)                  |
| 147 | Ceiling Fan (BLDC)  | Atomberg(Gorilla)/Orient (Falcon/Hector)/Havells (Efficiencia)/Crompton (Energon)                   |
| 148 | Exhaust Fan Heavy Duty  | Bajaj/Crompton/Almonard/Havells   |
| 149 | Exhaust Fan PVC Body  | Bajaj/Crompton/Almonard/Havells   |
| 150 | Heavy Duty Wall Fan(450mm)  | Crompton(SSstrom2)/Havells(V3)/Orient(Tornado)  |
| 151 | Wall Fan (300/400mm)  | Crompton/Havells/Orient   |
| 152 | PVC Cable Management system   | MK/Legrand  |
| 153 | (34-42) watt 2 FT X 2 FT LED  | Crompton (LCTLRNE-36-FO-CDL/LCTLSNE-36-FO-CDL) or equivalent  |

|     |  |   |
|-----|--|---|
|     | Recess/SurfaceLuminaires                                       | make of Phillips/Havells/Wipro  |
| 154 | 20-22 Watt LED Batten Luminaries.                              | Wipro/Philips/ Havells/ Crompton.   |
| 155 | 24 Watt 1x1 feet LED fitting                                   | Wipro (D812465) or equivalent make of Crompton/Phillips/Havells.  |
| 156 | 3//6/9/12/15/18 Watt LED Downlighter                           | Crompton/Havells/Wipro/Philips/Bajaj  |
| 157 | LED Emergency Light  | PMI/PWI   |
| 158 | 15/25/35/50/70 Ltrs Geysers                                    | Havells (Monza EC) / Crompton/ Reacold/ Venus/ BAJAJ  |
| 159 | 48" /36"/24" Ceiling fan                                       | Crompton/Havells/Bajaj  |
| 160 | LED Floodlight(90/100/120/135/150Watt)                         | Crompton/Havells/Bajaj  |
| 161 | On load Changeover Switch                                      | HPL/ Havells/L&T  |
| 162 | SMF Battery(7/12/17/18/26 AH)                                  | Amar Raja/ Exide  |
| 163 | Lead Acid Battery (180 AH)                                     | Amar Raja Exide   |
| 164 | Geysers Heating Element  | Theeta/Ditz/TTE/Power Pack  |
| 165 | Geysers Thermostat   | Theeta/Ditz/Dimple/Elcon/AE   |
| 166 | Condenser  | Epcos/Tibcon  |
| 167 | Ball Bearing of fans   | Tata/SKF  |
| 168 | Sewage Submersible Pump motor set                              | Kirloskar Eterna BW(Model No:1300BW) or similar model of KSB  |
| 169 | 10 HP Borewell Submersible Pump motor set                      | KSB(Model:BPD 242/08A+UMA 150) or equivalent make of MATHER & PLATT/ GRUNDFOS   |
| 170 | 3 HP Vertical Submersible Pump Motor Set                       | Kirloskar (Model:KSIL3-23/2.2KW/C MOC/32MM/IE2 or equivalent make of Grundfosx/MATHER & PLATT/GRUNDFOS                        |
| 171 | Submersible Cable  | Havells/Finolex/Plaza/Polycab   |
| 172 | Three Phase Star-Delta Starter                                 | BCH (Model:Premium CPSDPALN) or equivalent make of Havells/L&T  |
| 173 | "C" Class Heavy duty MS pipe                                   | Tata/Jindal (Hissar)  |
| 174 | "B/C" Class G.I Pipe   | Tata/Jindal (Hissar)  |
| 175 | Butterfly/Sluice/Non-Return Valves                             | Kirloskar/Kartar/Audco/CASTEL   |
| 176 | Double/Single Headed Landing (Yard Hydrant) Valve/Orific Plate | Life Guard/Newage/G Tech  |
| 177 | First Aid Hose Reel  | Plotter/G Tech/Rapid Control  |
| 178 | Fire Brigade Connection/Inlet                                  | Lifeguard/Newage/G Tech/Sage Gaurd  |
| 179 | Sprinkler and associated accessories                           | HD/Newage/Life Guard  |
| 180 | Pressure Switch/ Flow Switch                                   | System Sensor/Indfoss/Honeywell   |
| 181 | Control Valve(Gong Bell)                                       | Life Guard/Newage/G Tech  |
| 182 | Pressure Guage   | H Guru/Fiebig   |
| 183 | Smoke Spill Tube Axil Flow fan                                 | Marathon/ Aero mechanic/ Fluemech   |
| 184 | Piano Switch/Socket/Fan regulator                              | Anchor/Cona   |
| 185 | LED Driver of different ratings                                | Crompton/Philips/Wipro/Bajaj  |
| 186 | Dashboard/Computer Desktop/Printer                             | HP/Dell/Acer  |
| 187 | UPS for Desktop (600 VA/800 VA)                                | Microtek/APC/ALL/Luminious  |
| 188 | Clean Room Fitting   | LCBOR -40-CDL or Equivalent Make of Havells /Philips  |
| 189 |  | All HVAC System works specification shall be as per CPWD general specification for HVAC-2024 and subsequent amendment if any. |

## Schedule of Quantity

**Name of work: Development of L-6 B-3 Area for Liver Transplant Unit at AIIMS Rishikesh**

| S.No | Item   | Unit | Qty    | Rate    | Amount    |
|------|--|------|--------|---------|-----------|
| 1    | Providing and fixing <b>aluminium work</b> for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : <b>For fixed portion, Powder coated aluminium</b> (minimum thickness of powder coating 50 micron)  | Kg   | 300.00 | 516.57  | 154971.00 |
| 2    | Providing and fixing <b>aluminium work</b> for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : <b>For shutters of doors, windows &amp; ventilators</b> including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately), <b>Powder coated aluminium</b> (minimum thickness of powder coating 50 micron) | Kg   | 55.00  | 617.32  | 33952.60  |
| 3    | Providing and fixing 12 mm thick pre-laminated <b>particle board</b> flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windowshutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineerin-charge.Pre-laminated particle board with decorative lamination on both sides  | Sqm  | 25.00  | 1085.28 | 27132.00  |
| 4    | Providing and fixing <b>glazing</b> in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):With float glass panes of 5 mm thickness (weight   | Sqm  | 55.00  | 1464.61 | 80553.55  |

|    |   |         |        |         |          |
|----|---|---------|--------|---------|----------|
|    | not less than 12.50 kg/sqm)   |         |        |         |          |
| 5  | Providing and fixing aluminium <b>tower bolts</b> , ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade, with necessary screws etc. complete.200x10mm   | Each    | 10.00  | 112.04  | 1120.40  |
| 6  | Providing and fixing <b>aluminium handles</b> , ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete.125mm   | Each    | 10.00  | 64.46   | 644.60   |
| 7  | Providing and fixing aluminium hanging floor <b>door stopper</b> , ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper  | Each    | 10.00  | 70.4    | 704.00   |
| 8  | Providing and fixing aluminium die cast body tubular type universal <b>hydraulic door closer</b> (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.   | Each    | 10.00  | 1094.48 | 10944.80 |
| 9  | Providing & Fixing decorative <b>high pressure laminated sheet</b> of plain /wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality. 1mm thick                     | Sqm     | 20.05  | 873.07  | 17505.05 |
| 10 | Providing and fixing 2mm thick 16 to 19mm wide <b>PVC edge binding tape</b> of approved quality for cupboard/wardrobe shutters including necessary synthetic resin hot pressed to edges on binding machine etc. complete as per directions of Engineer- in-charge   | Metre   | 35.00  | 42.62   | 1491.70  |
| 11 | Providing and fixing stainless steel <b>soft closing spring hinges at 0 degree</b> hinges (hydraulic type) of approved make/brand to cupboard shutters with full threaded steel screws including making necessary recess in board and finished etc. complete as per direction of Engineer-in-charge                         | Each    | 10.00  | 264.66  | 2646.60  |
| 12 | Providing and fixing stainless steel soft closing heavy type <b>telescopic drawer channels</b> of approved make 500 mm long with screws etc. complete as per directions of Engineer- in-charge.   | One set | 5.00   | 861.20  | 4306.00  |
| 13 | <b>Demolishing brick work</b> manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.In cement mortar   | cum     | 20.00  | 2004.57 | 40091.40 |
| 14 | <b>Dismantling tile work</b> in floors and roofs laid in cement mortar including stacking material within 50 metres lead.For thickness of tiles 10 mm to 25 mm  | Sqm     | 225.00 | 71.42   | 16069.50 |
| 15 | <b>Disposal of building rubbish / malba /</b> similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, <b>beyond 50 m initial lead</b> , for all leads including all lifts involved. | cum     | 25.00  | 256.82  | 6420.50  |
| 16 | <b>Half brick masonry</b> with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.Cement mortar 1:4 (1 cement :4 coarse sand)  | Sqm     | 50.00  | 1093.46 | 54673.00 |

|    |   |       |        |         |           |
|----|---|-------|--------|---------|-----------|
| 17 | Providing and fixing GI Clip in Metal Ceiling System of 600x600 mm module which includes providing and fixing 'C' wall angle of size 20x30x20 mm made of 0.5 mm thick pre painted steel along the perimeter of the room with help of nylon sleeves and wooden screws at 300 mm center to centre, suspending the main C carrier of size 10x38x10 mm made of G.I steel 0.7 mm thick from the soffit with help of soffit cleat 37x27x25x1.6 mm, rawl plugs of size 38x12 mm and C carrier suspension clip and main carrier bracket at 1000 mm c/c. Inverted triangle shaped Spring Tee having height of 24 mm and width of 34 mm made of GI steel 0.45 mm thick is then fixed to the main C carrier and in direction perpendicular to it at 600 mm centers with help of suspension brackets. Wherever the main C carrier and spring T have to join, C carrier and spring T connectors have to be used. All sections to be galvanized @ 120 gms/sqm (both side inclusive), fixing with clip in tiles into spring T with :GI Metal Ceiling Clip in plain Beveled edge global white color tiles of size 600x600 and 0.5 mm thick with 25 mm height, made of G I sheet having galvanizing of 100 gms/sqm (both sides inclusive) and electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending. | Sqm   | 130.00 | 2161.71 | 281022.30 |
| 18 | <b>62 mm thick cement concrete flooring with concrete hardener topping</b> , under layer 50 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) and top layer 12mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate, 6mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacture's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.  | Sqm   | 130    | 1027.63 | 133591.90 |
| 19 | <b>12 mm cement plaster</b> of mix :1:6 (1 cement: 6 coarse sand)   | Sqm   | 75.00  | 334.37  | 25077.75  |
| 20 | Providing and laying <b>water proofing treatment</b> in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying :<br>(a) <b>First layer</b> of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours.<br>(b) <b>Second layer</b> of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.  | Sqm   | 100.00 | 600.39  | 60039.00  |
| 21 | Providing and laying in position <b>cement concrete</b> of specified grade excluding the cost of centering and shuttering - All work up to plinth level : <b>1:5:10</b> (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources)  | Cum   | 30.00  | 6342.60 | 190278.00 |
| 22 | Providing and fixing Chlorinated Polyvinyl Chloride ( <b>CPVC</b> ) <b>pipes, having thermal stability for hot &amp; cold</b> water   | metre | 100.00 | 484.36  | 48436.00  |

|    |  |      |       |         |          |
|----|--|------|-------|---------|----------|
|    | supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge.15 mm nominal dia Pipes.   |      |       |         |          |
| 23 | Providing and laying rectified Glazed Ceramic <b>floor tiles of size 300x300 mm</b> or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.   | Sqm  | 50.00 | 1294.09 | 64704.50 |
| 24 | Providing and fixing 1st quality ceramic glazed <b>wall tiles</b> conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. | Sqm  | 50.00 | 1233.72 | 61686.00 |
| 25 | Providing and fixing white vitreous china pedestal type water closet ( <b>European type W.C. pan</b> ) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required :W.C. pan with ISI marked white solid plastic seat and lid  | Each | 4.00  | 6339.63 | 25358.52 |
| 26 | Providing and fixing <b>C.P. brass angle valve</b> for basin mixer and geyser points of approved quality conforming to IS:8931.15mm nominal bore   | Each | 10.00 | 558.79  | 5587.90  |
| 27 | Providing and fixing <b>uplasticised PVC connection pipe</b> with brass unions :45 cm length.20 mm nominal bore  | Each | 10.00 | 115.84  | 1158.40  |
| 28 | Providing and fixing <b>wash basin</b> with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:-(a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer  | Each | 4.00  | 3853.62 | 15414.48 |
| 29 | Providing and fixing white vitreous china <b>pedestal for wash basin</b> completely recessed at the back for the reception of pipes and fittings.  | Each | 4.00  | 1637.90 | 6551.60  |
| 30 | Providing and fixing P.V.C. <b>waste pipe</b> for sink or wash basin including P.V.C. waste fittings complete.Flexible pipe.40 mm dia  | Each | 4.00  | 116.32  | 465.28   |
| 31 | Providing and fixing <b>C.P. brass bib cock</b> of approved quality conforming to IS:8931 : 15 mm nominal bore   | Each | 4.00  | 493.12  | 1972.48  |
| 32 | Providing and fixing <b>CP Brass Single lever telephonic wall mixer</b> of quality & make as approved by Engineer in charge.(a) 15 mm nominal dia  | Each | 4.00  | 6753.35 | 27013.40 |
| 33 | Providing and fixing <b>mirror of superior glass</b> (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing.Oval shape 450x350 mm (outer  | Each | 4.00  | 1339.92 | 5359.68  |

|    |  |      |       |         |          |
|----|--|------|-------|---------|----------|
|    | dimensions)  |      |       |         |          |
| 34 | Providing and fixing <b>PTMT towel rail</b> complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms   | Each | 4.00  | 655.22  | 2620.88  |
| 35 | Providing and fixing <b>toilet paper holder</b> :C.P. brass  | Each | 4.00  | 782.00  | 3128.00  |
| 36 | Providing and fixing <b>PTMT liquid soap container</b> 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour, weighing not less than 105 gms.  | Each | 4.00  | 163.80  | 655.20   |
| 37 | Removing white or colour wash by <b>scrapping</b> and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete  | Sqm  | 50.00 | 19.22   | 961.00   |
| 38 | Providing and applying white cement based <b>putty</b> of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.   | Sqm  | 50.00 | 151.84  | 7592.00  |
| 39 | Wall painting with <b>acrylic emulsion paint</b> , having VOC (Volatile Organic Compound ) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour.TWO coats   | Sqm  | 50.00 | 133.74  | 6687.00  |
| 40 | Providing and fixing factory made <b>uPVC glazed/wire mesh windows/doors</b> comprising of lead free uPVC multi-chambered frame, sash and mullion/coupler (where ever required) extruded profiles having minimum wall thickness of 1.70 mm for Series R1 and R2 profiles and 2.10 mm for Series R3 and R4 profiles conforming to EN: 12608 in any shape, colour and design duly reinforced with galvanized mild steel section made of required shape & size as per CPWD Specification, uPVC extruded glazing beads, interlocks and Inline sash adaptor (where ever required) of appropriate dimension, EPDM gasket, hardware, SS 304 grade fasteners of minimum 8 mm dia with countersunk head, comprising of matching polyamide PA6 grade sleeve for fixing frame to finished wall as per IS 1367 : Part 1 to 14, plastic packers, plastic caps and necessary stainless steel screws etc. Profile of frame, sash & mullion (if required) shall be mitred cut and fusion welded/mechanically jointed duly sealed at all corners, including drilling of holes for fixing hardware and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of approved size and quality, all complete as per approved drawing conforming to CPWD specification & direction of Engineer-in-Charge. Section of steel reinforcement and cross sections of uPVC profiles to be as per design approved by Engineer-in-Charge. Wire mesh / Glazing of plain/ toughened/ laminated/ double glass unit with / without high performance coatings as per design requirements and conforming to IS: 3548 & IS: 16231 shall be paid separately.Fixed window / ventilator without mullion / transom.Using R2 series with frame (39mm & above ) x (39mm & above). (Height upto 1.2 | sqm  | 6     | 7837.27 | 47023.62 |

|    |   |       |        |          |           |
|----|---|-------|--------|----------|-----------|
|    | metre)  |       |        |          |           |
| 41 | Providing and fixing factory made uPVC glazed/wire mesh windows/doors comprising of lead free uPVC multi-chambered frame, sash and mullion/coupler (where ever required) extruded profiles having minimum wall thickness of 1.70 mm for Series R1 and R2 profiles and 2.10 mm for Series R3 and R4 profiles conforming to EN: 12608 in any shape, colour and design duly reinforced with galvanized mild steel section made of required shape & size as per CPWD Specification, uPVC extruded glazing beads, interlocks and Inline sash adaptor (where ever required) of appropriate dimension, EPDM gasket, hardware, SS 304 grade fasteners of minimum 8 mm dia with countersunk head, comprising of matching polyamide PA6 grade sleeve for fixing frame to finished wall as per IS 1367 : Part 1 to 14, plastic packers, plastic caps and necessary stainless steel screws etc. Profile of frame, sash & mullion (if required) shall be mitred cut and fusion welded/mechanically jointed duly sealed at all corners, including drilling of holes for fixing hardware and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of approved size and quality, all complete as per approved drawing conforming to CPWD specification & direction of Engineer-in-Charge. Section of steel reinforcement and cross sections of uPVC profiles to be as per design approved by Engineer-in-Charge. Wire mesh / Glazing of plain/ toughened/ laminated/ double glass unit with / without high performance coatings as per design requirements and conforming to IS: 3548 & IS: 16231 shall be paid separately.Casement door single panel with zinc alloy (zamak) 3D hinges, multi-point locking system with cylinder, zinc alloy (zamak) powder coated handles on both sides.Using R3 series with frame (55 mm & above) x (50mm & above) & sash (55 mm & above) x (85mm & above) (Height upto 2.5 metre). | Sqm   | 10     | 12158.66 | 121586.60 |
| 42 | Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather <b>silicon sealant</b> over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.Upto 5mm depth and 5 mm width   | metre | 475.00 | 94.14    | 44716.50  |
| 43 | Providing and fixing of <b>frost film</b> on existing glass to make glass translucent of thickness 0.20mm as per approval of Engineer in charge.  | Sqm   | 60.00  | 296.84   | 17810.40  |
| 44 | Providing and fixing 18 mm thick High Density Fibre-board High moisture resistant (HDFHMR) as per IS 710 of approved brand boxes,shelves,racks,almirah,cupboard and drawer etc. including necessary nails,screws etc. complete as per direction of Engineer-incharge.   | Sqm   | 10.03  | 2045.62  | 20517.57  |
| 45 | Providing and fixing 1st quality polished vitrified glazed wall tiles of size 1200*600mm for wall lining by using tile adhesive of approved make conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, as approved by Engineer-in-Charge, including pointing in white cement mixed with pigment of matching shade complete.  | Sqm   | 110.00 | 1990.67  | 218973.70 |
| 46 | Providing and fixing of 2mm thick Homogeneous flexible  | Sqm   | 130.00 | 2637.4   | 342862.00 |

|    |  |      |        |           |           |
|----|--|------|--------|-----------|-----------|
|    | <b>PVC floor covering</b> having non -directional design, with antistatic properties of size 2mtrs x 20mtrs having total weight 3250 g/m2. (No Asian manufacturing).It also should confirm to class Bfl-s1 in flammability test as per EN13501- 1, slip resistance of R9 as per EN 13893 Class DS and very low VOC emission having Euro fins certified and GBCA/NZGBC Green Star IEQ-VOC-Compliant It should demonstrate from independent tests that it inhibits the growth of MRSA on the floor to prevent any kind ofinfection. It should also achieve a BRE Global Environmental A + Rating and a Green Tag LCA Rate certified with Green Rate level A- Gold Plus Warranty: 10 years. User Class: Type 1 as per EN ISO 10581,Make : Polyflor Classic Mystique PUR |      |        |           |           |
| 47 | Self levelling of flooring by using <b>fibre-reinforced self-levelling compound</b> (i.e Mapei Ultrplan 3240 or equivalent) 2mm thick (avg.) on existing concrete, screeds, stone, ceramic tiles, old and new timber floors, parquet and plywood. Levelling will be done to such extent to provide level surface and no impression of existing flooring will be seen, as per direction of Engineer-in-charge.  | sqm  | 130.00 | 519       | 67470.00  |
| 48 | Providing and fixing <b>wall mount health faucet</b> of plastic chrome finish, handle material of ABS, of approved quality conforming to IS standards and weighing not less than 250 gms.  | Each | 4.00   | 1245.80   | 4983.20   |
| 49 | Supply and installation of Double skin powder coated GI Door of shutter thickness 46mm as per IS 3614-2016/2021.shutter sheet thickness 1.2mm rockwool infill with 30 min insulation, Frame thichness 1.2mm Single rebate 143x58mm RAL Finish, Ball bearing butt hinges with metal screws Size: 4" x 3" x 3mm Grade SS 304 - Finish SSS., Door lock,D Handle 250x19mm, Door Closer DC 80 FR,Kick Plate 1000x300mm, 2hr fire rated glass with tape, Fire Seal, Anchor Fasteners of size M10x100mm.-or other fixture complete as per instruction of engineer in charge.  | Sqm  | 15     | 18978.37  | 284675.55 |
| 50 | Providing and fixing <b>10 mm thick frameless toughened glass door shutter</b> of approved brand and manufacture, including providing and fixing for required door arrangement and making necessary fittings, all complete as per direction of Engineer-in-charge (Door handle, lock and stopper etc.to be paid separately).   | Sqm  | 25.00  | 3556.04   | 88901.00  |
| 51 | Supply of stainless steel sink of size 2800(L)*600(W)*920(H). Sink comprises of two bowl and each bowl should be of size 1400*600*300mm. Front of sink should be made of SS 304 grade shutter and inner side partition and rack for placing of chemical. Both bowl of sink should fitted with swann neck tap(Jaquar make) . There should be proper connection for drainage pipe. Sink should also have a foot control system. At back side of sink there should be extension of 300mm in height to prevent flashing of water on wall. Sink should be made of stainless steel grade 304 material and 1.2mm thick.   | Each | 1      | 181610.45 | 181610.45 |
| 52 | Providing and fixing of solidTop shall be covered with 12mm Thick of any color as required Colour Bendable/ Flexible acrylic solid surface. Acrylic shall be of make Neonnex or Dupont acrylic soild surface in thickness 12   | Sqm  | 10.00  | 12070.03  | 120700.30 |

|    |  |      |      |           |           |
|----|--|------|------|-----------|-----------|
|    | mm of approved colour made out of non-porous surfacing material homogeneously.composed of + 1/3 acrylic resin (also known as PolyMethyl MethAcrylate or PMMA),and + 2/3 Aluminium Trihydrate (ATH).The sheet size should be 2.44 mts x 076 mts . The material should have been manufactured by using high-tech and computerized controlled processes divided into various units such as mixing of raw materials casting, process on 4th generation steel belt( double belt) production technology with online quality testing process. the material should conform to national science foundation(NFC) , society general surveillance(CGS), green guard, korea testing abd research institute (KTRI), central institute of plastics engineering & technology (CIPET) testing standard and fabrications components warranty system(FCWS) norms. Suggested base substrates are Excel PVC Board of minimum 18 mm thickness  |      |      |           |           |
| 53 | <p><b>Single deck AHU (30% Fresh air &amp; 70% recirculation):-</b><br/>Supply Installation Testing &amp; Commissioning of double Skin Horizontal Air Handling Unit complete with, consisting 30% fresh air intake provisions with aluminium dampers on fresh air side and supply air side, all filters flanged type i.e. pre filters (EU-4), fine filter (EU-7) sections with double skin (45±2 mm) insulated with CFC free polyurethane foam (PUF) panels of 40 Kg/cum density. Sandwiched between 0.8 mm thick G.I. pre coated Sheets for Outer skin and internal skin shall be plain G.I of 0.8 mm thick. All frame work shall be with thermal break profile constructed. The blowers shall be backward curved Centrifugal plug fan (with calibrated nozzle for air flow/DP measurement) with driven motor - IE3 (VFD compatible) with minimum IP55 protection. Cushy foot mountings, Inspection LED lamp, door limit switch, SS insulated condensate drain pan made out of SS-304 and standard accessories. The unit shall be comprising of 6 row deep Dx air cooled coil made out of copper tubing and copper header. AHU to be mounted on adequate RCC cubes with double vibration pad and GI sheet etc. to be considered in scope.</p> <p><b>UVGI System:-</b> UVGI system shall be designed to cover the entire face area of the cooling coil to achieve near total elimination of bacteria/ virus / biomass on the cooling coil. Required number of UVGI Lamps in the AHU's for the cooling coil area, along with reflector, ballast, junction box, mounting arrangement complete with connections etc. as required. UVGI system shall be installed downstream of the cooling coil. AHU shall have provision for fixing of reheater and humidifier including space for all the necessary fitting and accessories. Supply Air Fan Capacity, CFM : 1000<br/>Inline fan outdoor type of capacity 300 CFM to be installed at return duct<br/>Dx Air cooled Load,TR : 08<br/>Total Supply side Static,Pa : 1500</p> | Each | 1.00 | 414460.00 | 414460.00 |
| 54 | <p><b>Single Deck AHU (30% Fresh air &amp; 70% recirculation):-</b><br/>Supply Installation Testing &amp; Commissioning of double Skin Horizontal Air Handling Unit complete with, consisting 30% fresh air intake provisions with aluminium dampers on fresh air side and supply air side, all filters flanged type i.e. pre filters (EU-4), fine filter (EU-7), HEPA filter (H-14), sections with double skin (45±2 mm) insulated with CFC free polyurethane foam (PUF) panels of 40 Kg/cum density. Sandwiched between 0.8 mm thick G.I. pre coated Sheets for Outer skin and internal skin shall be plain G.I of 0.8 mm thick. All frame work shall be</p>   | Each | 1.00 | 493410.00 | 493410.00 |

|    |  |     |        |          |           |
|----|--|-----|--------|----------|-----------|
|    | <p>with thermal break profile constructed. The blowers shall be backward curved Centrifugal plug fan (with calibrated nozzle for air flow/DP measurement) with driven motor - IE3 (VFD compatible) with minimum IP55 protection. Cushy foot mountings, Inspection LED lamp, door limit switch, SS insulated condensate drain pan made out of SS-304 and standard accessories. The unit shall be comprising of 6 row deep Dx air cooled coil made out of copper tubing and copper header. AHU to be mounted on adequate RCC cubes with double vibration pad and GI sheet etc. to be considered in scope.</p> <p><b>UVGI System:-</b> UVGI system shall be designed to cover the entire face area of the cooling coil to achieve near total elimination of bacteria/ virus / biomass on the cooling coil. Required number of UVGI Lamps in the AHU's for the cooling coil area, along with reflector, ballast, junction box, mounting arrangement complete with connections etc. as required. UVGI system shall be installed downstream of the cooling coil. AHU shall have provision for fixing of reheater and humidifier including space for all the necessary fitting and accessories.</p> <p>Supply Air Fan Capacity, CFM : 1200<br/> Inline fan outdoor type of capacity 400 CFM to be installed at return duct</p> <p>Dx Air cooled Cooling Coil Load,TR : 14<br/> Total Supply side Static,Pa : 1500</p> |     |        |          |           |
| 55 | Supply, installation, testing and commissioning of fabricated at site GSS sheet metal rectangular/round ducting complete with neoprene rubber gaskets, elbows, splitter dampers, vanes, hangers, supports etc. as per approved drawings and specifications of following sheet thickness complete as required. Thickness 0.63 mm sheet  | sqm | 186.00 | 1058.00  | 196788.00 |
| 56 | Supply, installation, testing and commissioning of fabricated at site GSS sheet metal rectangular/round ducting complete with neoprene rubber gaskets, elbows, splitter dampers, vanes, hangers, supports etc. as per approved drawings and specifications of following sheet thickness complete as required. Thickness 0.80 mm sheet  | sqm | 48.00  | 1229.00  | 58992.00  |
| 57 | Supply, installation, testing and commissioning of 0.63 mm aluminium sheet cladding as required complete in all respect with fixing screws etc., for cladding of outside / exposed ducts.  | sqm | 90.00  | 814.00   | 73260.00  |
| 58 | Supply, installation, testing and commissioning of GI volume control duct damper complete with neoprene rubber gaskets, nuts, bolts, screws linkages, flanges etc., as per specifications.   | sqm | 3.00   | 7046.00  | 21138.00  |
| 59 | Supply, installation, testing and commissioning of air diffusers of powder coated aluminium with aluminium volume control dampers with anti smudge ring & removable core   | sqm | 1.50   | 12184.00 | 18276.00  |
| 60 | Supplying, Fixing, installation, testing and commissioning of powder coated extruded aluminium Supply/Return Air Grills with aluminium volume control dampers in confirmation to SMACNA/IS and as per specifications complete etc. as required.  | sqm | 1.00   | 9623.00  | 9623.00   |
| 61 | Supply, installation, testing and commissioning of fire dampers in supply air duct/main branch and return air duct as and where required of required sizes i/c control panel, the damper shall be motorized and spring return so as to close the damper in the event of power failure automatically and open the same in case of power being restored. The spring return action shall be inbuilt mechanism and not externally mounted. The damper shall also be closed in the event of fire signal complete as   | sqm | 4.00   | 11355.00 | 45420.00  |

|    |  |       |        |           |           |
|----|--|-------|--------|-----------|-----------|
|    | required and as per specifications Fire damper   |       |        |           |           |
| 62 | Supply, installation, testing and commissioning of fire dampers in supply air duct/main branch and return air duct as and where required of required sizes i/c control panel, the damper shall be motorized and spring return so as to close the damper in the event of power failure automatically and open the same in case of power being restored. The spring return action shall be inbuilt mechanism and not externally mounted. The damper shall also be closed in the event of fire signal complete as required and as per specifications Actuator   | each  | 4.00   | 10645.00  | 42580.00  |
| 63 | Supplying and fixing of following thickness duly laminated aluminium foil of mat finish closed cell Nitrile rubber (Class "O") insulation on existing duct after applying suitable adhesive for Nitrile rubber. The joints shall be sealed with 50 mm wide and 3 mm thick self adhesive nitrile rubber tape insulation complete as per specifications and as required. 19mm  | sqm   | 145.00 | 754.00    | 109330.00 |
| 64 | Supplying and fixing of following thickness duly laminated aluminium foil of mat finish closed cell Nitrile rubber (Class "O") insulation on existing duct after applying suitable adhesive for Nitrile rubber. The joints shall be sealed with 50 mm wide and 3 mm thick self adhesive nitrile rubber tape insulation complete as per specifications and as required 25mm   | sqm   | 158.00 | 968.00    | 152944.00 |
| 65 | Supply Installation, Testing & Commissioning for WARD AHU of modular type Variable Refrigerant flow /Variable Refrigerant Volume air cooled Outdoor units suitable for <b>cooling and heating</b> , having all hermetically sealed inverter type Scroll Compressor(s), minimum two compressors for above 14 HP modules, microprocessor based Controller, top discharge type condensing unit(s), with R 410 A/latest Refrigerant, vibration isolators, outdoor unit frame with suitable foundation,complete with all accessories as required etc. The unit shall deliver the rated capacity at AHRI Conditions and work even at approx. 50°C ambient temperature without tripping. The unit shall be suitable to work on 400V +/- 10%, 3 Phase, 50Hz AC power supply. The unit shall be filled with first charge of the refrigerant and ready for use as required. The COP at AHRI conditions shall not be less than 3.1 and IEER not less than 6.5 complete as per the technical specifications.<br><b>Capacity: 30 HP</b> | each  | 1.00   | 606452.00 | 606452.00 |
| 66 | Supply Installation, Testing & Commissioning of AHU Kit consists of a control PCB, electronic expansion valve, complete with all accessories as required etc. This kit will connect the AHU to the VRF Outdoor Unit.   | each  | 2.00   | 31899.00  | 63798.00  |
| 67 | Supply Installation, Testing & Commissioning of Corded Thermostat cum controller for temperature setting and operation, along with communication and power wiring from AHU or VRF to Remote controller installation as per location inside ward complete with all accessories as required etc. (Dual mode: Cooling & Heating).   | each  | 2.00   | 5316.00   | 10632.00  |
| 68 | Supply, Installation, testing and commissioning including vaccumiazation and Nitrogen testing of following nominal sizes of soft/hard drawn copper refrigerant piping for VRV/VRF system, complete with fittings, with suitable  | Meter | 45.00  | 615.00    | 27675.00  |

|    |   |       |       |           |           |
|----|---|-------|-------|-----------|-----------|
|    | adjustable ring type hanger supports, jointing/brazing including accessories, insulated with XPLE Class-O tubular insulation/with Class-O closed cell elastometric nitrile rubber tubular sleeves sections of specified thickness as given below for Suction and Liquid lines, complete with all accessories as required etc. 15.86 mm dia (OD) (Soft drawn) with tube thickness 1.2 mm with 19 mm thick insulation   |       |       |           |           |
| 69 | Supply, Installation, testing and commissioning including vaccumiazation and Nitrogen testing of following nominal sizes of soft/hard drawn copper refrigerant piping for VRV/VRF system, complete with fittings, with suitable adjustable ring type hanger supports, jointing/brazing including accessories, insulated with XPLE Class-O tubular insulation/with Class-O closed cell elastometric nitrile rubber tubular sleeves sections of specified thickness as given below for Suction and Liquid lines, complete with all accessories as required etc.28.58 mm dia (OD) (Hard drawn) with tube thickness 1.2 mm with 19 mm thick insulation  | Meter | 45.00 | 1157.00   | 52065.00  |
| 70 | Supply, Installation, testing and commissioning of 40 mm dia nominal bore 'B' class medium duty G.I. pipe conforming to IS 1239 including welding, fittings likes elbows, tees, flanges, tapers, nuts, bolts, gaskets etc. complete in all respect for AHU condensate drain piping with 19 mm thick nitrile rubber insulation, nut-bolts, supports, pipe support block etc. duly installed with 0.63 mm aluminium sheet cladding as required complete in all respect with fixing screws etc.  | Meter | 50.00 | 1232.00   | 61600.00  |
| 71 | SITC of Laminar flow filter module of suitable size as required made out of heavy duty Aluminium powder coated extrusion with minimum and to house HEPA Filter at the rate 0.3 microns , 99.9997, H- 14Grade, Filter loading from ICU side Includes aluminum power coated capsule perforated diffuser alongwith adjustable opposed blade damper. This includes all required supports and accessories as per site requirement. Size - 600mm x 600mm  | each  | 2.00  | 23634.00  | 47268.00  |
| 72 | Supply, Installation, Testing & Commissioning of Electric tubular finned Heaters for OT OAHU of 04 kW capacity in SS construction and bank wise distribution, duly installed in ducts complete with mounting arrangement, safety thermostat, humidistat for humidity control, SSR based control, contactor etc.. Heater should be ISI marked.   | each  | 2.00  | 45848.00  | 91696.00  |
| 73 | Fabrication,Supply,Installation,Testing,Commisioning of Outdoor floor mount type AHU control Panel, CPRI approved with following specifications: CRCA Sheet of 3.15 mm, Grey Colour with Incoming: 1 Incomer -250 Ampere MCCB/36KA 4 Pole. Panel must include R,Y,B Indicator, with 350 ampere aluminium busbar, 1No Digital Multi Function Metre / Digital Load Manager suitable to connect with Centre Energy Monitoring System/BMS through RS485 connection.<br>Outgoing:<br>Outgoing -1 Nos with 25 Ampere MCB/10/16KA 4 Pole "C" Curve for supply motor - 4 kW<br>Outgoing - 1 Nos with 25 Ampere MCB/10/16KA 4 Pole "C" Curve for supply motor - 3 kW<br>Outgoing -1 Nos with 100 Ampere MCCB/30KA 4 Pole for VRF outdoor unit. | each  | 1.00  | 309811.00 | 309811.00 |

|    |  |       |        |        |          |
|----|--|-------|--------|--------|----------|
|    | <p>Outgoing -1 Nos with 32 Ampere MCCB/16/25KA 4 Pole for heaters - 04 kW (three bank distribution).<br/> Outgoing -1 Nos with 32 Ampere MCCB/16/25KA 4 Pole for heaters - 04 kW (three bank distribution)<br/> All outgoing shall be with necessary MCB's, contactors, relays, illuminated push button for manual ON &amp; OFF, indication lamps ( for ON,OFF,TRIP Status), Auto/Manual selector switch..<br/> Outgoings with suitable rating MCB's shall be considered for UVGI system, fire damper, AHU limit switch etc.<br/> Necessary safety interlocks like AHU motor interlock with service door limit switch, fire damper interlock, supply &amp; exhaust fan interlock, UVGI system and heaters interlocks with AHU).<br/> Potential free Contact (for supply motor, exhaust motor, fire damper, heater, humidifier etc.) to be provided for Connections.<br/> Note:-<br/> 1. VFD (for motor speed control) with inbuilt PID controller for varying the speed of fan, along with DPT (0 to 3000 pa) sensor for measuring DP across fan and providing input to VFD. VFD to be installed/mounted in motor control panel.<br/> Capacity of VFD: 4 kW - 1 No. ( for Supply motor)<br/> Capacity of VFD: 3 kW - 1 No. ( for Supply motor)<br/> 2. Provision of MCB / Contactor for UVGI system, AHU limit switch, Fire damper etc. to be considered in AHU control panel.</p> |       |        |        |          |
| 74 | <p>Supply, laying, Testing and Commissioning of following size XLPE insulated armoured Cable (Galvanised wire / strip) 1100 V Grade including end termination with brass compression glands and lugs, saddle / support for cable etc. as required and as per IS 7098 (Part 1) 1988 with upto date amendments on surface / cable tray as required and as directed by Engineering incharge (Compulsory ISI marked) (Cables for incoming to AHU control panel &amp; outgoing cables for supply motor, exhaust motor, UVGI, limit switch, fire damper, heater, humidifier etc.) armoured aluminium cable 3.5 C X 95 sq. mm</p>   | Meter | 100.00 | 707.00 | 70700.00 |
| 75 | <p>Supply, laying, Testing and Commissioning of following size XLPE insulated armoured Cable (Galvanised wire / strip) 1100 V Grade including end termination with brass compression glands and lugs, saddle / support for cable etc. as required and as per IS 7098 (Part 1) 1988 with upto date amendments on surface / cable tray as required and as directed by Engineering incharge (Compulsory ISI marked) (Cables for incoming to AHU control panel &amp; outgoing cables for supply motor, exhaust motor, UVGI, limit switch, fire damper, heater, humidifier etc.) armoured copper cable 4 C X 16 sq. mm</p>  | Meter | 45.00  | 668.00 | 30060.00 |
| 76 | <p>Supply, laying, Testing and Commissioning of following size XLPE insulated armoured Cable (Galvanised wire / strip) 1100 V Grade including end termination with brass compression glands and lugs, saddle / support for cable etc. as required and as per IS 7098 (Part 1) 1988 with upto date amendments on surface / cable tray as required and as directed by Engineering incharge (Compulsory ISI marked) (Cables for incoming to AHU control panel &amp; outgoing cables for supply motor, exhaust motor, UVGI, limit switch, fire damper, heater, humidifier etc.) armoured copper cable 4 C X 10 sq. mm</p>  | Meter | 45.00  | 473.00 | 21285.00 |
| 77 | <p>Supply, laying, Testing and Commissioning of following size XLPE insulated armoured Cable (Galvanised wire / strip) 1100 V Grade including end termination with brass compression</p>   | Meter | 50.00  | 349.00 | 17450.00 |

|    |   |       |        |         |          |
|----|---|-------|--------|---------|----------|
|    | glands and lugs, saddle / support for cable etc. as required and as per IS 7098 (Part 1) 1988 with upto date amendments on surface / cable tray as required and as directed by Engineering incharge (Compulsory ISI marked) (Cables for incoming to AHU control panel & outgoing cables for supply motor, exhaust motor, UVGI, limit switch, fire damper, heater, humidifier etc.) armoured copper cable 4 C X 6 sq. mm   |       |        |         |          |
| 78 | Supply, laying, Testing and Commissioning of following size XLPE insulated armoured Cable (Galvanised wire / strip) 1100 V Grade including end termination with brass compression glands and lugs, saddle / support for cable etc. as required and as per IS 7098 (Part 1) 1988 with upto date amendments on surface / cable tray as required and as directed by Engineering incharge (Compulsory ISI marked) (Cables for incoming to AHU control panel & outgoing cables for supply motor, exhaust motor, UVGI, limit switch, fire damper, heater, humidifier etc.) armoured copper cable 4 C X 1.5 sq. mm | Meter | 50.00  | 207.00  | 10350.00 |
| 79 | Supply, laying, Testing and Commissioning of following size XLPE insulated armoured Cable (Galvanised wire / strip) 1100 V Grade including end termination with brass compression glands and lugs, saddle / support for cable etc. as required and as per IS 7098 (Part 1) 1988 with upto date amendments on surface / cable tray as required and as directed by Engineering incharge (Compulsory ISI marked) (Cables for incoming to AHU control panel & outgoing cables for supply motor, exhaust motor, UVGI, limit switch, fire damper, heater, humidifier etc.) armoured copper cable 2 C X 1.5 sq. mm | Meter | 50.00  | 124.00  | 6200.00  |
| 80 | Supplying and installing following size of perforated painted with powder coating M.S. cable trays with perforation not more than 17.5%, in convenient sections, joined with connectors, suspended from the ceiling with M.S. suspenders including bolts & nuts, painting suspenders etc as required 150 mm width X 50 mm depth X 1.6 mm thickness  | Meter | 45.00  | 686.00  | 30870.00 |
| 81 | Supplying and installing following size of perforated painted with powder coating M.S. cable trays with perforation not more than 17.5%, in convenient sections, joined with connectors, suspended from the ceiling with M.S. suspenders including bolts & nuts, painting suspenders etc as required 100 mm width X 50 mm depth X 1.6 mm thickness  | Meter | 45.00  | 623.00  | 28035.00 |
| 82 | Earthing with G.I. earth plate 600 mm X 600 mm X 6 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required.   | set   | 2.00   | 8351.00 | 16702.00 |
| 83 | Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm)  | Meter | 75.00  | 160.00  | 12000.00 |
| 84 | Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS/HFFR PVC insulated copper conductor single core cable in surface/ recessed steel conduit, with piano type switch, phenolic laminated sheet, suitable size MS box and earthing the point with 1.5 sq.mm FRLS/HFFR PVC insulated copper conductor single core cable etc. as required. Group C   | Each  | 15.00  | 2078.00 | 31170.00 |
| 85 | Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the  | Meter | 150.00 | 222.00  | 33300.00 |

|    |   |       |        |         |           |
|----|---|-------|--------|---------|-----------|
|    | existing surface/recessed steel/ PVC conduit as required. recessed steel/ PVC conduit as required. 3 x 4 sq. mm   |       |        |         |           |
| 86 | Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/recessed steel/ PVC conduit as required. recessed steel/ PVC conduit as required 6 x 4 sq. mm   | Meter | 30.00  | 424.00  | 12720.00  |
| 87 | Supplying and fixing of following sizes of steel conduit alongwith accessories in surface/recess including painting in case of surface conduit, or cutting the wall and making good the same in case of recessed conduit as required. 20 mm   | Meter | 40.00  | 254.00  | 10160.00  |
| 88 | Supplying and fixing of following sizes of steel conduit alongwith accessories in surface/recess including painting in case of surface conduit, or cutting the wall and making good the same in case of recessed conduit as required. 25 mm   | Meter | 20.00  | 289.00  | 5780.00   |
| 89 | Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 A switch   | each  | 120.00 | 121.00  | 14520.00  |
| 90 | Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 15/16 A switch   | each  | 40.00  | 176.00  | 7040.00   |
| 91 | Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 3 pin 5/6 A socket outlet  | each  | 100.00 | 136.00  | 13600.00  |
| 92 | Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 6 pin 15/16 A socket outlet  | each  | 60.00  | 219.00  | 13140.00  |
| 93 | Supplying and fixing following size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 3 Module (100mmX75mm)   | each  | 40.00  | 384.00  | 15360.00  |
| 94 | Supplying and fixing following size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required 6 Module (200mmX75mm)  | each  | 30.00  | 462.00  | 13860.00  |
| 95 | Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. 3 Module  | each  | 20.00  | 175.00  | 3500.00   |
| 96 | Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. 6 Module  | each  | 20.00  | 207.00  | 4140.00   |
| 97 | LED Panel light 2x2 ft. (System lumen efficacy $\geq 105 < 120$ lm/Watt), Supplying, installation, Testing & Commissioning of Panel light 2x2 ft., of following body light material and construction as per IS : 10322 with driver as per the requirement with Driver efficiency $> 85\%$ , Operating voltage AC 140- 270 Volt, freq 50/60 hz, Operating temp range -15 deg to 40 deg centigrade, internal surge protection of 2.5 KV with Short & Open circuit protection, THD $< 10\%$ , P. F. $\geq 0.95$ , IP20, CRI $> 80$ , UGR (Unified Glare Rating) $< 19$ , Flicker free, (flicker should be below 5 %), life time (LED, Driver & electrical circuitry), of minimum 50000 Burning Hours with, 70% of initial Lumen maintained till life, CCT /6000°K / 6500°K (As per ANSI Bin), SDCM (Standard Deviation Color Matching) $< 3$ , Maximum power consumption should not more than the specified rating | each  | 50.00  | 2508.00 | 125400.00 |

|     |  |      |        |       |                     |
|-----|--|------|--------|-------|---------------------|
|     | and Fixture shall be of relevant BIS standard and trade mark certificate ( T.C.). Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. complete in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy $\geq 105 < 120$ lm/Watt output . LM79 & LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management: heat sink of aluminum housing such that LED junction temperature shall not rise above 90°C). <b>Powder coated die cast / Extruded aluminium Body (Thickness<math>\geq</math> 1.20 mm), 36 Watt</b> |      |        |       |                     |
| 98  | Dismantling & taking away the scrap of burnt all sizes MS box/GI box/Switch/ Socket/misc scrap of electrical Items (against credit) in following forms:- 5A/15A switch   | each | 100.00 | 2.00  | -200.00             |
| 99  | Dismantling & taking away the scrap of burnt all sizes MS box/GI box/Switch/ Socket/misc scrap of electrical Items (against credit) in following forms:- 5A/15A Socket   | each | 100.00 | 2.00  | -200.00             |
| 100 | Dismantling & taking away the scrap of burnt all sizes MS box/GI box/Switch/ Socket/misc scrap of electrical Items (against credit) in following forms:- Iron Scrap (Metal box and conduit, Iron Angel etc   | kg   | 10.00  | 20.00 | -200.00             |
|     | <b>Total Amount</b>  |      |        |       | <b>64,44,378.86</b> |