

Notice Inviting Quotation
for
Repairing of CCTV Cameras
at

All India Institute of Medical Sciences Rishikesh

Issue Date : 14 Dec 2022
Inquiry No. : Proc-ITS/17/2021-213
Last Date of Submission : 23 Dec, 2022 at 03:00 PM.



All India Institute of Medical Sciences Rishikesh
Virbhadrā Road, Rishikesh, Uttarakhand-249203.
Telephone: 0135-2462915, Website: www.aiimsrishikesh.edu.in
[Mail Id :- spcso@aiimsrishikesh.edu.in](mailto:spcso@aiimsrishikesh.edu.in)

Invitation of Quotation for Dept. of IT

Quotations are hereby invited by the undersigned on behalf of the Director, AIIMS Rishikesh for supply of Items for the Institute as per terms & conditions mentioned below. The filled quotations along with **the entire required document** must reach in the office of the undersigned on or before 23.12.2022, 03.00 PM. The Envelope containing the quotation would please be sealed and super scribed as under:-

“QUOTATION for Repairing of CCTV Cameras Proc-ITS/17/2021-213 due on 23.12.2022, 03.00 PM”

1. Terms & Conditions:

- a) The quotations received after this deadline & unsealed shall not be entertained under any circumstances whatsoever. In case of postal delay this Institute will not be responsible.
- b) Quotations must be in the enclosed prescribed Performa on the letter head of the firm duly signed by the Proprietor/ Partner/ Director or their authorized representative, In case of signing of quotation by the authorized representative letter of authorization must be attached with the quotation.
- c) Rates must be quoted as per the format specified Taxes extra if any, must be written separately. The limit of file is under 2.5 Lakh.
- d) No overwriting or cutting is permitted in the rate. If found, the quotation shall be summarily rejected.
- e) The rates quoted must be valid for 60 days minimum from the date of opening of the quotation and silence of any tendered on this issue shall be treated as agreed with this condition.
- f) Becoming L1 will not be the criteria for awarding of purchase order unless the rates are reasonable & justified. **L1 will be decided on individual item basis.**
- g) RTGS/NEFT details need to be furnished by the supplier with the quotation on the letter head of supplier/firm/agency.
- h) The firm/agency may satisfy the following conditions and attach self-attested copy of the same with the quotation:
 - Firm shall be registered with the Government of Uttarakhand/Central Govt.
 - **The firm shall have valid GST and IT PAN** (must attach details along with quotation)
 - **The firm should not be black listed by any Govt. Agency/Dept.**
- i) Quotations qualified by such vague and indefinite expressions such as “subject to prior confirmation”, “subject to immediate acceptance” etc. will be treated as vague offers and rejected accordingly. Any conditional quotation shall be rejected summarily.
- j) The supplier may be asked to submit a sample of the product(s), which will be evaluated by a technical evaluation committee. The expenditure incurred for demonstrating the items will be borne by the supplier.

k) **Delivery Period** – 15 days from issuing purchase order.

l) **Liquidated Damage:** - If the supplier fails to deliver the store on or before the stipulated date, then a penalty at the rate of 0.5 % per week of the total order value shall be levied subject to maximum of 10% of the total order value.

m) **Payment Terms:** Payment will be made only after satisfactorily delivery, commissioning and inspection/Testing of software by the AIIMS Rishikesh.

n) **Disputes:** -In the event of any dispute or disagreement arising between the Supplier and any other department of AIIMS Rishikesh with regards to the interpretation of “Terms & Conditions” of this inquiry, the same shall be referred to the Director, AIIMS Rishikesh whose decision will be final and binding upon the Supplier.

o) AIIMS, Rishikesh reserves the right to increase or decrease quantity and / or amount of work. Decision of Quantity of material in the AIIMS, Rishikesh will be final in this regard.

p) AIIMS, Rishikesh reserves the right to reject any quotation or part or the whole of inviting quotation process without assigning any reason. Decision of the AIIMS, Rishikesh will be final in this regard.

q) Quotations along with all documents may also sent through e-mail.

r) Vender may visit office of SPCSO AIIMS Rishikesh on any working day Between 10 AM to 4 PM for inspection/details of repairing work.

(Deepak Jaiswal)
Sr. Procurement officer Cum Store Officer

Contact Details:

The Sr. Procurement officer Cum Store Officer

Central Store

AIIMS Rishikesh-249203

Landline: 0135-2462915,

Mobile No: **9336609235**

Email: spsco@aiimsrishikesh.edu.in

Encl.: Annexure 1 (Format of Quotation)

[On the letter head of firm]

ANNEXURE - I
PRICE BID FORM

To
The Chairperson LPC
AIIMS Rishikesh

Dear Sir,

1. I/We Submitted the quotation for Enquiry No. **“QUOTATION FOR REPAIRING OF CCTV CAMERAS” DUE ON 23.12.2022, 03.00 PM** for Supply of following items at AIIMS Rishikesh”.
2. I/We thoroughly examined, understood and accepted terms & conditions given in the enquiry document, failing which my quotation will be rejected out rightly.
3. I/We hereby offer to supply at the following rates.

S. No	Department Name	Scope of work (Repairing)	Model No.	Serial No
01	Nursing Hostel, AIIMS Rishikesh	Dome Camera	CP-UNC-DV-I-HD	CP2K024BCPAA00163
02	Nursing Hostel, AIIMS Rishikesh	Dome Camera	CP-UNC-DV-I-HD	CP2K024BCPAA03561
03	Nursing Hostel, AIIMS Rishikesh	LED 40"	GM40	4025N04A4802R
04	Pharmacology Department, AIIMS Rishikesh	POE Switch	GIL-80IG	219C4070000683
05	Gate no.3, AIIMS Rishikesh	POE Switch	T1500-28PCT	21843439000199
06	Biomedical West, AIIMS Rishikesh	POE Switch	T1500-28PCT	218A1510003596
07	Led Monitor control Room, AIIMS Rishikesh	LED 40"	GM40	NOVR140P4IC8A013
08	Led Monitor control Room, AIIMS Rishikesh	LED 40"	GM40	4028N02A802QC14812
09	Led Monitor SR Hostel 85, AIIMS Rishikesh	LED 40"	GM40	4045N02A802QH21464
10	Led Monitor Boys Hostel 77, AIIMS Rishikesh	LED 40"	GM40	4045N02A802QK151677
11	Led Monitor Boys Hostel 77, AIIMS Rishikesh	LED 40"	GM40	4025N04A4802RA101728
12	Type Five area, AIIMS Rishikesh	POE Switch	Globus switch 24 port POE SWITCH	
13	Substation, AIIMS Rishikesh	Splicing	Globus	Five cameras not working
14	Gate no.3, AIIMS Rishikesh	PTZ Camera Adapter	CP-UNC-30W-0-HD	CP2K0245APAN00366
15	Biomedical West, AIIMS Rishikesh	PTZ Camera Adapter	CP-UNC-30W-0-HD	CP2K0245APAN00234
16	Gate no.3, AIIMS Rishikesh	Digging work	Bullet Camera	FOR Bullet Camera -4 Qty
17	Gate no.3, AIIMS Rishikesh	Digging work	PTZ CAMERA	PTZ CAMERA
18	Surgical Store, AIIMS Rishikesh	NVR 16 Channel	CP-UNR-16	-
19	Biomedical Waste, AIIMS Rishikesh	Splicing	-	-
20	Mortuary Area, AIIMS Rishikesh	Splicing	PTZ and 2 Bullet Camera offline	-

S. No	Location	Product Name	Remarks	Requirement	Qty.
21	Terrace Area	Bullet Camera G-SC-BP8MN10-TSA	Need to change cat 6 Cables 60mtrs	Cat 6 Cable	60
22	P.G Parking	CP-UNC-B-H-HD	Need to change cat 6 Cables 50mtrs	Cat 6 Cable	50
23	P.G Parking	CP-UNC-B-H-HD	Need to Repairs Camera Connector Faulty	IP Cables Connector	1
24	P.G Parking	CP-UNC-B-H-HD	Need to Repairs Camera Connector Faulty	IP Cables Connector	1
25	Gate no.2 Inner Area	POE Switch 24 port	Switch Poe faulty 24 Port Poe	POE Switch Repair Charges	1
26	Gate no.2 Outer Area	CP-UNC-TE4K081ZL5E-VMD	Switch Poe faulty 24 Port Poe	POE Switch Repair Charges	1
27	Gate no.2 Inner Area	CP-UNC-TE4K081ZL5E-VMD	Switch Poe faulty 24 Port Poe	POE Switch Repair Charges	1
28	Control Room	NVR 64 Channel G-SR-36488	Display not getting	NVR Repair Charges	1
29	MOT B4 Area	Osacar pro LED Monitor OP40NT	Dim Display	LED Repair Charges	1
30	Terrace Area Block A	PTZ Camera G-SC-P12MN30N20-TSA	Camera Not Working	Adaptor for PTZ Camera	1
31	Terrace Area Block B	PTZ Camera G-SC-P12MN30N20-TSA	Camera Not Working	Adaptor for PTZ Camera	1
32	Terrace Area Block B	PTZ Camera G-SC-P12MN30N20-TSA	Display not getting	Adaptor for PTZ Camera	1
33	Gate No. 3 Inside	G-SC-BP8MN10-TSA	Cat 6 Cable	Cat 6 Cable	40

Date _____

Place _____

Signature of Authorized Person) :- _____

(Name) _____

Name of Firm/Company/Agency _____

Phone No. _____

Email: _____