

# AIIMS RISHIKESH

## INDENT FOR PURCHASE OF STORES (FORM P-2)

1. Please fill a separate form for each item
2. Please fill completely in triplicate. Incomplete forms and those with illegible writing may not be accepted.

Name of items with full specifications & required accessories	Quantity(in figures and words)	Cost per unit (approx) in foreign currency and Rupees	Total cost (approx)
<i>Procurement of - Consumables items for Air compressor installed in PSA Plant - (Elgi make)</i>			
1) Air oil separator F4-75 KW (B006700770027)	-02 Nos	- 42,90/-00	- 85,802.00
2) Air filter Element F4-75 KW (B004700770031)	-02 Nos	- 19518.00	- 39,036.00
3) Oil filter Element 75 LPM (B008800770001)	-04 Nos	- 2107.00	- 8428.00
4) Grease - Em Unirex N3 (015404151)	- 01 Nos	- 588.00	- 588.00
5) ELGI AirLube VT SYN PLUS 20L (000998102)	- 04 Nos	- 26,650.00	- 1,06,600.00

3. For equipment, please provide the following information

Detailed description of the actual use of the equipment

NA

Is this/ similar equipment already available in the department?

When purchased? Cost at that time: Present functional status:

Tests/ procedures done on this equipment in last year:

Revenue generated by this equipment in last year:

If yes, what is the justification for this purchase?

Is this/similar equipment available in any other department in the Institute?

If yes, what is the justification for this purchase?

4. For Consumables, please provide following information:

Description of stocks available

When was it last purchased? **NA** In what quantity? **NA** Cost:

Source

Test/ procedures done in this period:

Revenue generated in this period:

Average annual consumption

Shelf life

Period for which this purchase will last Number of tests likely to be done with this quantity:

5. For furniture, please provide the following information:

Exact location and use

Existing furniture at that place

Justification for this purchase

Possible sources (name all sources you know) from where item may be obtained (name, address, phone no, fax no, email, etc of contact person)

INDENTOR

Signature.....

Name....

Designation...

Mithilesh Bhatt

JECACR

HEAD OF DEPARTMENT/SECTION

Signature.....

Name.....

Ragul P.K.

Designation.....

Executive Engineer (AC & R)

इंस्ट्रॉक्चिकेश/AIIMS Rishikesh

P-3 FORM

(to be attached with P-2 form for Proprietary items)

AIIMS Rishikesh

PROPRIETORY ARTICLE CERTIFICATE

It is certified that the items (Consumables items for Air compressor installed in PSA Plant) required in the P-2 form should be purchased from M/s. AS Equipment Pvt. Ltd. To the best of my knowledge M/s. AS Equipment Pvt. Ltd. are the sole manufacturer/agents of the sole manufacturers M/s. ELGI Equipments Ltd.

Similar items manufactured by other firm(s) shall not be suitable for our purpose for the following reasons:-

Consumables (Spares) for Air compressor like ( Air oil separator FT-75kW, Air filter Element, oil filter element & Grease - Em Unirex No. Elgi Airlube.

These Spares have part code & same to be supplied purchased from OEM/ Authorized dealer of OEM's. Also it is recommended that Spares should be always purchased from OEM/ Authorized dealer of OEM's for genuine & to increase the life of equipment.

(Sign of Indenter)

Dated

Designation DE(CAC1R)

Department Engg.

Recommendation:

Signature of Head of Department/Section

अमित रागुल पी के

Er. Ragul PK

ट्रिप्पली अभियन्ता (एसी व आर)

Executive Engineer (AC & R)

एम्स ट्रैडिंग्स/AIIMS Rishikesh

N.B.: The indenter before recording the above certificate should satisfy himself that the article is genuinely of proprietary nature manufactured under patent laws.

*Annexure - A*

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, RISHIKESH-249201

अखिल भारतीय आयुर्विज्ञान संस्थान, ऋषिकेश- २४९२०१

**ATTACH WITH FORM- P2**

Please ensure following points with Form- P2 along with your request letter for procurement:

Sl. No.	Required fields	Whether fulfilled the criteria (Yes/ No)	Remark
1	Manpower availability	(Yes/ No)	<i>yes</i>
2	Space availability	(Yes/ No)	<i>yes</i>
3	Whether specifications are generic, not of some company or brand specific (should have priority for make in India products)	(Yes/ No)	<i>No</i>
4	USFDA and European CE should be replaced with equivalent Indian Standards that is ISO or BIS or same may be written as ISO/BIS/USFDA/European CE or equivalent.	(Yes/No)	<i>yes</i>
5	Approved in Assessment Committee or Not.	(Yes/ No)	<i>No</i>
6	If Item cost is above or equal to 30 laes, specifications should be duly vetted by DGHS nominee/External expert.	(Yes/ No)	<i>No</i>
7	Letter to External Expert & DGHS Should be routed through Director Office only (BME will help in this process).	(Yes/ No)	<i>No</i>
8	Mode of Purchase- GeM availability/non availability should be ensured & verified before procurement by LPC/Tender (Specification should be same).	(Available/ Not available)	<i>Not available</i>

INVENTOR

Signature.....

Name: .....

*Mithilesh Bhatt*

Designation: .....

*JE (C&R)*

Department: .....

*Engineering*

HEAD OD DEPARTMENT/ SECTION

Signature.....

अधि. रागुल पी के

*Er. Ragul PK*

Name: .....

अधिशासी अभियन्ता (एसी व आर)

Designation: .....

Executive Engineer (AC & R)

Department: .....

एम्स ऋषिकेश /AIIMS Rishikesh