## All India Institute of Medical Sciences

Rishikesh-249203



## Repair work near Gate No. 3 for Convocation Ceremony 2025 in AIIMS Rishikesh

 Ref. NIQ No..
 :
 05/NIQ/EE/Civil/2024-25

 Publishing Date
 :
 11/03/2025 on 03:00 PM

 Bid Submission Start Date
 :
 11/03/2025 on 03:00 PM

 Last Date of NIQ Submission
 :
 13/03/2025 on 03:00 PM

 NIQ Opening
 :
 13/03/2025 on 03:30 PM

Label

Ayush

07/3/25



# अखिल भारतीय आयुर्विज्ञान संस्थान ऋषिकेश ,- 249203

# ALL INDIA INSTITUTE OF MEDICAL SCIENCES RISHIKESH - 249203

NIQ No.: - 05/NIQ/EE/Civil/2024-25

Dated:- 07.03.2025

## **Notice Inviting Quotations**

On behalf of Superintending Engineer AIIMS, Rishikesh. Sealed quotations, on percentage rate basis, are invited from registered and eligible contractors of CPWD, Railways, MES, State Government of Uttarakhand & State Government department and working contractors of AIIMS Rishikesh for the following work.

Name of Work: - Repair work near Gate No. 3 for Convocation Ceremony 2025 in AIIMS
Rishikesh

Estimated Value of work:

Rs. 4,79,831.00

**Period of Completion:** 

20 days

**Specifications:** 

CPWD Specification with upto date correction slips

Schedule of Quantities:

Attached as Annexure I

Scope of Work:

Attached as Annexure II

The sealed quotations shall be submitted to this office today, in presence of willing bidders. The intending bidders may see bid documents and Specifications in the office of Executive Engineer, AIIMS Rishikesh Engineering Unit, AIIMS, Virbhadra Marg, Rishikesh and may also inspect the site at their own cost. No quotations shall be entertained after the stipulated date and time.

#### Terms & Conditions: -

- 1. The intending bidder must read the terms and conditions carefully. Bidder should only submit his/her bid if he considers himself eligible and Bidder is in possession of all the required documents.
- 2. The quotation must be submitted in a sealed envelope duly mentioning the NIQ number and name of the work.
- 3. Payment shall be released after the successful completion of whole or part of work after deducting all applicable taxes and any other deductions as per Government rules, after full satisfaction of the Engineer In-charge. Payment shall be made through Account Payee Cheque or Electronic Clearing System only and the charges shall be deducted from the bill, if any.
- 4. Agency may please note that they shall follow the safety and security procedures while working at AIIMS Rishikesh as per the Institute's norms. If any incident happened due to lack of safety the bidder will be solely responsible.
- 5. The work shall be carried out as per standard specifications of CPWD relevant IS code. if the CPWD specification are silent and also as per manufacturers specifications as directed by Engineer-In-Charge. Bidder should take prior approvals for the execution of the such specifications from Engineer In-charge.

If the contractor fails to maintain the required progress or to complete the work and clear the site on or before the expiry of contract period he shall on account of such breach, pay agreed compensation at 2% of the value of the work per month subject to maximum of 10% of the value of work shall be charged from the Agency.

Contractor must ensure to quote rate of each item/percentage rates, both in figures and words in attached format of financial bid. Each page of the document down loaded from web site is to be signed and sealed by authorized signatory for acceptance of the document as a whole. The bid not found sealed & signed,

overwriting or cutting shall liable to be rejected.

The PBG can be deposit in form of FD receipt @5% of tendered amount in favour of SE, AIIMS Rishikesh. The PBG will be submit within 2 days after the award of the work and the contractor/bidder is bound to start the work immediately within 2 days.

The PBG will be released after successful completion of work.

- 10. The department reserves all rights to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion. Similarly, work can also be closed by bidder after giving suitable notice of one month with proper justification and found justifiable by the AIIMS authorities.
- 11. The work is estimated to cost of Rs. 4,79,831.00, however this estimate is given merely as a rough guide.
- 12. The bidder should submit self-authenticated copies of registration and document justifying their bidding capacity, copy of PAN card and GST Registration, if any, along with bid documents.
- 13. The time allowed for carrying out the work will be 20 days from the date of start which shall be reckoned from the date of letter of work order.
- 14. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidder shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other Services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 15. The competent authority on behalf of the Superintending Engineer, AIIMS, does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidders shall be summarily rejected.
- 16. Work will be done on Phase Manner in different location of Hospital Complex.
- 17. The competent authority on behalf of The Superintending Engineer, AIIMS, reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 18. The bidder/contractor has to execute the extra items whether schedule or Non-schedule items of market rates if requires at his quoted rates.
- 19. The bid for the works shall remain open for acceptance for a period of 7 days from the date of opening of bids. If any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the rebidding process of the work.

Breac Co 0

2).

Site on

Breach of Terms and Conditions: In Case of breach of any terms and conditions as mentioned above, the Competent Authority of AIIMS Rishikesh, will have the right to reject the bid at any stage in the contract period.

21. Applicable Law: The contract shall be governed by laws and procedures established by Govt. Of India, within the framework of applicable legislation and enactment made from time to time concerning such commercial dealings/ processing. Any disputes are subject to exclusive jurisdiction of competent court and forum in Rishikesh, Dehradun India only.

Executive Engineer Civil AIIMS Rishlikesh

## **Schedule of Quantity**

Name of Work: - Repair work near Gate No. 3 for Convocation Ceremony 2025 in AIIMS Rishikesh.

Srl			Unit	Quantity	Rate	Amount
no.	No.	Item				, miodiff
1	Based on DSR 8.1.1.2	Granite work gang saw cut (polished and machine cut) of thickness 18mm for wall lining (veneer work) backing filled with a grout of average 12mm thick in cement mortar 1:3(1cement :3coarse sand) including pointing with white cement mortar 1:2(1 white cement :2 marble dust) with an admixture to pigment to match the marble shade . Area of slab over 0.50 sqm. Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent	sqm	45.00	8434.00	379530.00
2	8.3	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge.				
2.1	8.3.2	Granite work	metre	50.00	510.95	25547.50
3	6.4	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :				23347.30
3.1	6.4.2	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	2.93	9105.95	26680.43
4	13.1	12 mm cement plaster of mix :				20000.45
4.1	13.1.1	1:4 (1 cement: 4 fine sand)	Sqm	11.50	347.05	3991.08
5	2.6	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-incharge				
5.1	2.6.1	All kinds of soil	cum	36.00	177.50	6390.00
6	4.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:				
5.1	4.1.11	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:1:5:10 (1 cement: 5 fine sand derived from natural sources: 10 graded stone aggregate 40 mm nominal size derived from natural sources)	cum	1.93	6189.65	11946.02

Annexure

Ms

					Say Rs.	479831.00
9(11)	ligare, recurs	and the second of the second of the second		Total An	nount Rs.	479831.03
8	2.25	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	cum	36.00	196.00	7056.00
7	NS2	Repairing of socket and spigot joint of a 200 mm dia CI Class LA pipeline. This work includes excavation, dewatering, and cleaning of the joint, followed by filling it with molten lead or caulking material to ensure a secure seal. After solidifying, the joint is pressure tested, and the excavation area is backfilled and restored to its original condition as per direction of Engineer -in charge.	No.	6.00	3115.00	18690.00

Rate quoted	by contractor/bidder in Percentage	÷%
(In words)	=	
••••••		
Total Amou	nt in figures =	
• • • • • • • • • • • • • • • • • • • •		
(In words)	=	

Sign. & Seal of Contractor

Executive Engineer AIIMS Rishikesh

MOTE:

### Scope of Work

Name of Work: - Repair work near Gate No. 3 for Convocation Ceremony 2025 in AIIMS Rishikesh.

- i. Granite work gang saw cut (polished and machine cut) of thickness 18mm for wall lining (veneer work) backing filled with a grout of average 12mm thick in cement mortar 1:3(1cement :3coarse sand) including pointing with white cement mortar 1:2(1 white cement :2 marble dust) with an admixture to pigment to match the marble shade. Area of slab over 0.50sqm.Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent.
- ii. Repairing of socket and spigot joint of a 200 mm dia Cl Class LA pipeline. This work includes excavation, dewatering, and cleaning of the joint, followed by filling it with molten lead or caulking material to ensure a secure seal. After solidifying, the joint is pressure tested, and the excavation area is backfilled and restored to its original condition as per direction of Engineer -in charge.

Sign. & Seal of Contractor

Executive Engineer AIIMS Rishikesh

Kure !!

### LIST OF APPROVED MATERIALS

#### NOTE:-

- 1. Unless otherwise specified, the brand/make of the material as specified in the item nomenclature or in the particular specifications or in the list of approved materials attached in the tender, shall be used in the work.
- The Contractor shall obtain prior approval from the Engineer-in-charge before placing order for any specific material/ Brand/ Make.
- 3. Whenever the specified brand of material is not available than, the Engineer-in-charge may approve any material equivalent to that specified subject to proof being offered by the Contractor for its equivalence and its non-availability to his satisfaction.

#### MATERIALS:

#### BRAND/MAKE

1	Vitrified Tile	Johnson -Marbonite, Somany, Kajaria, Orient Bell, NITCO, RAK
2	Wall Putty	JK, BIRLA, SARAPUTTY
3	Cement	Birla, ACC, Ultratech
4	Emulsion Paint	Nerolac, Asian, Berger
5	Ceramic Tiles	Kajaria, Nitco, Orient Bell, Johnson, RAK Ceramics
6	Water Proofing Compound (Liquid)	Pidilite, Cico, Impermo
7	White Cement	JK White, Birla White, Grasim
19	POP (Plaster of paris)	JK, Laxmi, Sriram Nirman, Sakarni
20	PPR Pipes	SFMC, SAFE, Poineer Industries
21	Precast CC interlocking Tiles	Hindustan, Paver India, KK
22	Precoatd Profile Sheet	Tata, Bhushan or equivalent
23	Pre-laminated Particle Board	Ecoboard, Action-Tesa, Duro, Century Ply, Greenlam, Albihari
24	Pressed steel door frame	M/s Engineers & Fabricator, Raipur, M/s J.K. Enternprises, Jaipur, M/s Jangid Engineering Works, Jaipur, M/s Swastik Super Industries, Mohali, M/s SKS Steel Industries, New Delhi.
25	PTMT Fittings	Prayag, Polytuf, Pearl, Millennium, PRIMA
26	PVC Cistern	Steelbird, Jindal, Seabird, Prayag, Commander
27	PVC Connection Pipe	Supreme, Prince, Finolex
28	PVC Rain Water Pipe & Fitting	Finolax, Kisan, Kasta, Supreme, Astral, Prince
29	Ready Mix Concrete (RMC)	Lafarge, Alchon, L&T, Grasim, Ultratech, RMC India
30	Ready Mix plaster	Ultratech, Precisecon Chem, Perma, Ferrous Crete, JK, Fosrock,
31	PVC Shutter	Polygreen, Rajshri, Plastogreen, Sintex
32	PVC Water storage Tank (Only ISI)	VECTUS, Water well, Plasto, Polycon, Sintex. (Weight as per ISI)
33	Sluice Valve	Kirloskar, Venus, Kalpana, SANT, KARTAR, Zolto