

AIIMS RISHIKESH

INDENT FOR PURCHASE OF STORES

(FORM P-2)

1. Please fill a separate form for each item
2. Please fill completely in triplicate. Incomplete forms and those with illegible writing may not be accepted.

Name of items with full specifications & required accessories	Quantity (in figures and words)	Cost per unit (approx) in foreign currency and Rupees	Total cost (approx)
Washing solution 6x1 L	2 (Two)	9723.84%	9723.84%
Development solution 6x100	3 (Three)	12502.36	12502.36
Stop solution 6x100	3 (Three)	12502.36	12502.36
Specific IgE calibrator (1 curve)	2 (Two)	9556.467	9556.467
Specific IgE conjugate (0-100)	2 (Two)	17364.37	17364.37
Specific Anti IgE	2 (Two)	3465.795	3465.795
M7, Botrytis cinerea (16 cap)	6 (Six)	19798.73	19798.73
M12, Pullularia pullulans (16 cap)	6 (Six)	19798.73	19798.73
M1, Penicillium notatum (16 cap)	6 (Six)	19798.73	19798.73
M6, Alternaria alternate (16 cap)	6 (Six)	19798.73	19798.73
M11, Rhizopus nigricans (16 cap)	6 (Six)	19798.73	19798.73
M8, Setomelanomma rostrata/ Helminthosporium halodes (16 cap)	6 (Six)	19798.73	19798.73
M9, Fusarium proliferatum (16 cap)	6 (Six)	19798.73	19798.73
M2, Cladosporium herbarum (16 cap)	7 (Seven)	23098.52	23098.52
M3, Aspergillus fumigatus (16 cap)	7 (Seven)	23098.52	23098.52
All Items Specifications- Reagent & Consumables for Immunocap Phadia 100 System.			
Total Approx.			249903.40/-

3. For equipment, please provide the following information - NA

Detailed description of the actual use of the equipment

Is the equipment to be used for patient care or research:

If both, state % of time to be used for patient care: _____ of time to be used for research

Is this/ similar equipment already available in the department?

When purchased? Cost at that time: Present functional status:
Tests/ procedures done on this equipment in last year:
Revenue generated by this equipment in last year:
If yes, what is the justification for this purchase?
Is this/similar equipment available in any other department in the Institute?
If yes, what is the justification for this purchase?

4. For Consumables, please provide following information: YES

Description of stocks available-

When was it last purchased?

In what quantity?

Cost;

Source

Test/ procedures done in this period:

Revenue generated in this period:

Average annual consumption

Shelf life

Period for which this purchase will last Number of tests likely to be done with this quantity:

5. For furniture, please provide the following information: NA


Exact location and use

Existing furniture at that place

Justification for this purchase

Possible sources (name all sources you know) from where item may be obtained (name, address, phone no, fax no, email, etc of contact person)

INDENTOR



Signature

Name- **Dr. Girish Sindhwani**

Designation- **Prof & HOD**

Date: **10-11-2022**

Phone/Pager- **7895050321**

HEAD OF DEPARTMENT/SECTION



Signature

Name- **Dr. Girish Sindhwani**

Designation- **Professor & Head**

Stamp

डॉ. गिरीश सिंधवानी /Dr. Girish Sindhwani
आचार्य एवं विभागाध्यक्ष, पल्मोनरी मेडिसिन
Professor & Head, Pulmonary Medicine
एम्स, ऋषिकेश /AIIMS, Rishikesh

P-3 FORM

(to be attached with P-2 form for Proprietary items)

AIIMS Rishikesh

PROPRIETARY ARTICLE CERTIFICATE

It is certified that the items (Reagent & Consumables for Immucap Phadia 100 System) required in the P-2 form should be purchased from M/s. Manvy Pharma New Delhi.... To the best of my knowledge M/s. ThermoFisher Scientific Pvt. Ltd. Mumbai India are the sole manufacturer/agents of the sole manufacturers M/s. Phadia AB, Sweden.....

Similar items manufactured by other firm(s) shall not be suitable for our purpose for the following reasons:-

(Signature)

(Sign of Indenter)

Dated - 10/11/2022

Designation डॉ. गिरीश सिंधवानी /Dr. Girish Sindhwani
आचार्य एवं विभागाध्यक्ष, फल्मोनरी मेडिसिन
Department Professor & Head, Pulmonary Medicine
एम्स, ऋषिकेश /AIIMS, Rishikesh

Recommendation:

(Signature)
Signature of Head of Department/Section डॉ. गिरीश सिंधवानी /Dr. Girish Sindhwani
आचार्य एवं विभागाध्यक्ष, फल्मोनरी मेडिसिन
Professor & Head, Pulmonary Medicine
एम्स, ऋषिकेश /AIIMS, Rishikesh

N.B.: The indenter before recording the above certificate should satisfy himself that the article is genuinely of proprietary nature manufactured under patent laws.